







Dear Customer,

Cumberland Products is an independently owned company founded in 1991 by my wife Jenny, and myself. We started Cumberland Products with one basic concept: put 100% virgin solvent in the container every time. At Cumberland, we are proud of this so on each solvent label we place the words 100% virgin solvents.

Through the years, our company has added many products to our line. We take great pride in our clears, primers, detail and masking products. We maintain the same degree of quality in these lines as we always have with our other solvent blends

Along with quality products, we provide quality service. At Cumberland we strive to practice the biblical concept of treating others as we would like to be treated ourselves.

To our customers, I say thank you for your business and friendship. To those thinking about becoming our customer, I would encourage you to give us serious consideration to become your supplier. Our management, production, sales, service, and technical people all stand ready to serve. We hope to hear from you soon.

Wayne Moore

Founder Cumberland Products, Inc.

Cumberland Products will continue to be a stable, reliable source in the industry. We are a multi-generational company and we are here to stay. So you can rely on us for all your automotive and industrial needs.

Bruce Barlow
President/CEO

John Moore
Executive Vice President

Katie JonesVice President



Clearcoats & Activators	2-3
Primers/Sealers & Activators	4-6
Eclipse Value Clears & Primers	7
Paint Additives	8-9
Aerosols	10
Specialty Solvents	11
Thinners & Pre-cleaners	12
Reducers	13
Vintage Pro	14
Steelforce Industrial	15
Cumberland Detail	16-17
Eclipse Detail	18 - 19
Gun Cleaners	20
Aquamax	21
FBS Products	22-23
Miscellaneous	24

100% Virgin Solvent Every Time

Cumberland Products Incorporated provides an entire line of 100% Virgin products. From solvents to sealants, from clearcoats and primers to paint additives, you'll get 100% virgin products every time.

Cumberland Products Inc 50 Commerce Parkway Hodgenville, KY 42748 1-800-223-1918

1-800-223-1918 1-800-500-9812 FAX

CP 3170 - Premium High Solids Clearcoat



Superb high solid clearcoat using European resins to produce and retain brilliant gloss levels and long term durability. Superior to other clears due to ease of spray and ability to buff readily within 72 hours after application. This clear easily matches OEM appearance. Can be used over all basecoat systems, including waters.

ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 2 parts 3170 to 1 part 3701/3703/ 3705/3707 to 1/2 part reducer CP-80/ 81/ 82/83



Apply 2 wet coats



Allow 10 minutes flash between coats



Pot life 5 Hours @75°F



Can be sanded after:Air Dry: 12 hrs. @70 ° F Bake: 30 min. @140 ° F After 10 min. Purae

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3164 - Overall Clearcoat



A premium quality urethane clearcoat designed for multi-panel and overall application. Can be used over all basecoat systems, including water. You can choose from four activators to regulate flash times for different job sizes and shop conditions.

ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 4 parts 3164 to 1 part 3701 / 3703 / 3705 / 3707. Optional 10% reducer CP 80/81/82/83



Apply 2-3 wet coats



Allow 15-20 minutes flash between coats



Pot life 4 Hours @72 ° F



Can be sanded after: Air Dry: 10-12 hrs. @70° F Bake: 40 min.@140° F After 15-20 min.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3162 - Spot/Panel Clearcoat



Premium spot/panel clearcoat based on the latest resin system. Can be used over all basecoat systems, including water. You can choose from four activators to regulate flash times for different job sizes and shop conditions.

ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 4 parts 3162 to 1 part 3701 / 3703 / 3705 / 3707. Optional 10% reducer CP 80/81/82/83



Apply 2-3 wet coats



Allow 10 minutes flash between coats



Pot life 3 Hours @72 F



Can be sanded after: Air Dry: 6-8 hrs. @70 ° F Bake: 30 min. @140 ° F After 10 min. Purge

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 3880 - Xpress Clear



Using the latest technologies, this clear can be buffed or wet sanded in approximately 90 minutes @ 70 degrees. This clear is designed to be used for spot/panel work due to the fast dry times. Can be used over all basecoat systems, including water. You can choose from four activators to regulate flash times for different job sizes and shop conditions.

ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 3 parts 3880 to 1 part 3701 / 3703 / 3705 / 3707. Optional 10% reducer CP 80/81/82/83



Apply 2 full wet coats



Allow 5 minutes flash between coats



Pot life 1.5 Hours @70 * F



Can be sanded after: Air Dry: 90 min. @72 * F dake: 10 min. @120 * F

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP 3701 - Fast Activator (55°F - 70°F)

CP 3703 - Medium Activator (70°F - 80°F)

CP 3705 - Slow Activator (80°F - 90°F)
CP 3707 - Extra Slow Activator (90°F and up)

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3175 - European Clear

An premium 2:1 mix acrylic urethane clearcoat designed for universal use. This is a high/solids clear that works well in air dry or baking applications. Can be used over all basecoat systems, including water. Excellent gloss and durability.

ACTIVATORS: CP 3710, CP 3711, CP 3712, or CP 3713





1ix 2 parts 3175 to 1 part 3710 3713. Optional 0% reducer CF 80/81/82/83



Apply 2 wet coats



Allow 10-15 minutes flash between coats



Pot life 5 Hours



Can be sanded Air Dry: 8 hrs. @70 ° F Bake: 30 min.

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 2500 - 2.1 VOC European Clear

A unique 2:1 mix European Clearcoat for compliance in all areas. This is a premium high production clearcoat that is compatible with all acrylic and polyester color systems. Can be used over all Basecoat systems, including water. Can be air or force dried for a perfect OEM look.

ACTIVATORS: CP 2520, CP 2521, or CP 2522





Mix 2 parts 2500 to 1 part CD-2520/2521/ 2522



Apply 2



Allow 10-15 minutes flash between coats



Pot life 5 hours @75°F



Air Dry: 8-12 hrs. @70°F ke: 35 min. @140 ° F

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 2315 - 2.1 VOC Overall Spot/Panel Clearcoat



Superb high solid 2.1 VOC clearcoat using European resins to produce and retain brilliant gloss levels and long term durability. Superior to other low VOC clears due to ease of spray and ability to buff readily within 72 hours after application. Can be used over all basecoat systems, including water. This clear easily matches OEM appearance.

ACTIVATORS: CP 2316, CP 2317, or CP 2318



Mix 4 parts 2315 to 1 part CP 2316, 2317, or 2318



Apply 2 wet coats



Allow 10-15 minutes flash between coats



Pot life 2 hrs @72°F



Can be sanded after: Air Dry: 8 hours Bake: 30-40 min. @140°F

MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3831 - Quick Cure Clearcoat

2.1 VOC formulation for 50 state compliance in all areas. One to two panel application. Air dries in 25 minutes. Superb blending and can be applied to flexible parts.

PROFESSIONAL USE ONLY

3831 to 1 part





Apply 3



No flash time hetween conts



Pot life 30-45 minutes @72° F



an be sanded after: Air Dry: 20-25 min. @72°F

ACTIVATORS: CP 3832

CP 6100 - 2K Self Etch Primer/Filler CP 6103 - 2K Self Etch Catalyst

STATE OF THE CONTROL OF T

High performance "pre-coat" primer/filler for all bare metal applications.



Mix 1 parts 6100 to 1 part CP-6103



Apply 2 med. wet coats



Allow 15-20 minutes flash between coats



Pot life 8 hours @70°



Can be sanded after: Air Dry: 30 min. @70°F

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6110 - 1K Self Etch Primer (Qt.)



High performance "pre-coat" primer/filler for all bare metal applications.



Ready to Spray



Apply 2 med. wet coats



Allow 15-20 minutes flash between coats



Pot life 8 hours @70°F



Can be sanded after Air Dry: 30 min. @70 ° F

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6550 - 2K Urethane Primer (Gray) CP 6525 - Urethane Activator



A premium quality 2K-urethane primer surfacer that dries fast and builds quickly. Excellent color holdout with easy feather-edging and no ringing or lifting



HIGH BUILD Mix 4 parts 6550 to 1 part 6525



NORMAL BUILD Mix 4 parts 6550 to 1 part 6525 to 10% CP-80/81/82/83



Apply 3-5 full wet coats



Allow 15 minutes flash between coats



Pot life 3 hrs @70 ' F NORMAL BUILD Pot life 1 hr @70 ' F



Can be sanded after: Air Dry: 1-2 hrs @72 F Bake: 20 min. @140 F

📤 WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6500 - 2K Urethane Primer-Surfacer CP 6575 - 2K Urethane Primer-Surfacer Activator



This premium quality 2K primer performs multiple functions. High Build or Medium Build with the ability to adhere to small areas of bare metal or direct to unsanded, properly cleaned e-coat. This product is corrosion resistant and sands very easily. Product is ready to sand in approximately 50 minutes @ 70°F.



MER HIGH BUILD k 4 parts 6500 o 1 part 6575



RIMER MED BUILD Mix 4 parts 6500 to 1 part 6575 10% CP-80/81/82/83



SEALER dix 4 parts 6500 to 1 part 6575 1 part CP-80/81/82/83



pply 3-5 full wet coats



Allow 15 minutes flash between coats



NORMAL BUILD Pot life 1 hr @70°F



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6225 - 1K Non-Sanding Primer/Sealer



A super-smooth, one component 2.1 VOC primer/sealer that can be used on all previously coated metal surfaces to provide a uniform surface prior to topcoats. CP 6225 has tremendous adhesion and excellent color holdout. Ready to spray with no mixing required.

NOT INTENDED FOR USE ON BARE METAL.



Ready to Spray



Apply 1-2 wet coats



Allow 10 -15 minutes flash between coats



Pot life 2 Hours @70 ° F



Can be sanded after Air Dry: 10-15 mins @72° F After 8 hrs. Must be scuffed before applying color coat

🛦 WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6200 - Epoxy Primer / Sealer CP 6201 Epoxy Catalyst



A two component epoxy primer/sealer displaying excellent adhesion to all types of bare metal surfaces, fiberglass, plastic parts as well as painted or primed surfaces. Lays flat, dries fast and covers in one coat.

ACTIVATORS: CP 6201



PRIMER 4ix 2 parts 6200 to 1 part 6201







Apply 1-2 wet coats



Allow 15 minutes flash between coats



Pot life 8 Hour @70°F



Can be sanded after: Air Dry: 1 hr @72 ° F Bake: 20 min. @140 ° F

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6220 - 2K Urethane Non-Sanding Sealer CP 6221 - 2K Urethane Non-Sanding Sealer Activator



A premium 2 component 2.1 VOC acrylic urethane sealer that provides a uniform surface over all types of existing finishes except lacquer. Can be tinted up to 5% by weight with any acrylic basecoat color. Can be top coated in 30 minutes. Also available: CP 6220B - Black / CP 6220W - White.

ACTIVATORS: CP 6221



Mix 4 parts 6220 to 1 part 6221 to an options 10% reducer



Apply 1-2



Allow 10 -15 minutes flash between coats



Pot life 2 Hours @70°F



Can be sanded after: Air Dry: 10-15 mins @72 F After 8 hrs. Must be scuffed before applying color coat

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6820 Gray - Acrylic Lacquer Primer Surfacer CP 6822 Red - Acrylic Lacquer Primer Surfacer CP 6824 Black - Acrylic Lacquer Primer Surfacer



A premium acrylic lacquer primer with heavy build and excellent sanding properties. Dries fast with excellent color holdout with all paint systems. You must reduce with CP 1171 quality low VOC lacquer thinner to meet national VOC requirements.

THINNER: CP 1171



Mix 1 part prime to 1 part CP-1171



Apply in light to medium coats



Allow 10-20 minutes flash between coats



Pot life N/A



Sand or featheredge in 20-30 mins. (Depending on number of coats)

MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6830 - Gray Lacquer Primer Surfacer CP 6832 - Red Lacquer Primer Surfacer



A premium blend of nitro-cellulose resins that produce a fast drying durable primer. Dries quickly and sands easily. Quickly fills sand scratches and imperfections prior to topcoat application. You must reduce with CP 1171 quality low VOC lacquer thinner to meet national VOC requirements.

THINNER: CP 1171



Mix 1 part prime to 1 part CP-1171



Apply in light to medium coats



Allow 10-20 minutes flash between coats



Pot life N/A



Sand or featheredge in 20-30 mins. (Depending on number of coats)

CP 6330 - 2.1 VOC Primer-Surfacer CP 6331 - 2.1 VOC Primer-Surfacer Activator



A new generation low VOC super high build urethane primer-surfacer. Designed for use under all single stage or basecoat clearcoat systems. Excellent adhesion to cut through bare metal areas and direct to unsanded properly cleaned e-coat, for undersides of hood, fenders, and jambs with superior sandability.

ACTIVATOR: CP 6331



Mix 4 parts 6330 to 1 part 6331



Apply 2-3 wet coats



Allow 15 mins flash between coats



Pot life 90 minutes @70°l



Can be sanded after: Air Dry: 50-90 min. @72°F Bake: 30 min. @140°F

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6600 - Direct to Metal Primer/Surfacer CP 6601 Direct to metal Activator



CP 6600 is a 2.1 VOC high build direct to metal primer/surfacer. It is VOC compliant in all 50 states and is isocyanate free. CP 6600 has excellent adhesion to cold rolled steel, aluminum, galvanized, galvaneal, and body filler. It has excellent corrosion resistance when applied to any bare metal, thereby eliminating the pretreatment primer step. It also has excellent leveling features and sands easily. It is medium gray in color and has superior chemical resistance, eliminating the need for primer in many applications.



Mix 4 parts 6600 to 1 part CP 6601



Apply 2 wet coats



Allow 10-15 minutes flash between coats



Pot life 5 hours @75



Can be sanded after: Air Dry: 1 hr per coat @70°F Bake: 35 min. @140°F

ACTIVATOR: CP 6601

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8897 Black High Build Primer (Aerosol)



Black High Build Primer is a premium quality High build aerosol primer.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8896 Gray High Build Primer (Aerosol)



Gray High Build Primer is a premium quality High build aerosol primer.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

E3200 - Urethane Clear



E3200 Clear works well over color systems. Can be used over all Bacecoat systems, including water. E3200 has excellent leveling properties and gloss retention. This clear is an excellent economical alternative for shops where warranty is not an issue

ACTIVATORS: E3201 or E3202

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E3221 - 2.1 Urethane Clear



E3221 Clear works well over color systems. Can be used over all Basecoat systems, including water. E3221 has excellent leveling properties and gloss retention. This clear is an excellent economical alternative for shops where warranty is not an issue. E3221 is 2.1 VOC compliant making it a great choice for shops in compliant areas

ACTIVATORS: E3231 or E3232

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E3275 - European Clear



An economical 2:1 mix acrylic urethane clearcoat designed for universal use. This is a high/solids clear that works well in air dry or baking applications. Can be used over all basecoat systems, including water. Excellent gloss durability.

ACTIVATORS: E3810, E3811, E3812

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov



E2501 - 2.1 VOC European Clear

E2501 is excellent for overall work and for force dry application. This clearcoat is compliant in all 50 states as well as Canada and features great flow and leveling. Ideal for producing a deep, longlasting gloss.

ACTIVATORS: E2502, CP 2503, E2504

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E6330 - 2.1 VOC 2K

E6000 - 2K Urethane Primer



E6000 2K Urethane Primer is an economical, quick drying, two component urethane primer/surfacer. E6000 has medium to heavy build properies yielding excellent filling and surfacing results.

ACTIVATORS: E6001

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

A Low VO

A Low VOC super high build primersurfacer. Designed for use under all single stage or basecoat clearcoat systems. Excellent adhesion to cut through bare matal areas and direct to unsanded e-coat, for undersides of hoods, fenders, and jambs with superior sandability.

Urethane Primer-Surfacer

ACTIVATORS: E6331

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 1500 - Wet Look



A premium quality acrylic enamel catalyst that allows paint to flow out and cure to a brilliant gloss. Out-performs most other paint products in flow out and gloss retention.



CP 9600 - Universal Flex Additive

A quality product that gives greater elasticity to paint systems. For use on bumpers and flexible parts to reduce cracking or chipping. For use in all Acrylic Lacquers, Acrylic Enamels. and Urethane Paint Systems

WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 9950 - Fisheye Eliminator



9950 is a high quality product to help eliminate fish-eye or cratering in topcoats. This product is not intended to be a replacement for proper preparation using wax and grease removers and precleaner. Follow label directions carefully.



CP 88 - Accelerated Reducer

Speeds up dry time! Cuts drying time in half when used with all clearcoats except CP3831 Quick Cure Clearcoat. 2.1 VOC compliant. Do not use with our primers.

PROFESSIONAL USE ONLY

▲ WARNING: Birth Defects and Other Reproductive Harm For more information go to www.P65Warnings.ca.gov

CP 5150D Basecoat Balancer



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 5175D Basecoat Binder



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 5320D Basecoat Binder



WARNING: Cancer. For more information as to www.P65Warnings.ca.gov

CP 5330D Basecoat Balancer



▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 5689P Basecoat Converter



CP 5695P Basecoat Balancing Clear



MARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Toners



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

HS White Toner	CP5649P	Clear Mixing Base
Jet Black Toner	CP5683P	Black Toner
HS Black Toner	CP5684P	White Toner
Jet Black Basecoat	CP5687P	Medium Satin Aluminum
Color Blender	CP5690P	Coarse Satin Aluminum
	Jet Black Toner HS Black Toner Jet Black Basecoat	Jet Black Toner CP5683P HS Black Toner CP5684P Jet Black Basecoat CP5687P

Pearls



CP-PRL93	Tincture Gold	CP-PRL96	Russet	CP-PRL9	Amethyst Dream
CP-PRL87	Fine Blue	CP-PRL98	Fine White	CP-PRL6	Solaris Red
CP-PRL99	Fine Russet	CP-PRL2	Crystal Silver	CP-PRL3	Sunbeam Gold
CP-PRL92	Frost Blue	CP-PRL1	Radiant Red	CP-PRL7	Fireside Copper
CP-PRL86	Red-Green	CP-PRL4	Galaxy Blue	CP-PRL8	Cosmic Turquoise
CP-PRL95	Bright White	CP-PRL5	Stellar Green		

CP 8915 - Flexi-grip



This product creates a strong adhesion of primers and paint to all types of automotive plastics and rubber parts. Non-isocyanate.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8920 - Satin Black Trim & Bumper Paint



A quality paint that adheres to urethane, rubber, and metal. Recoats discolored bumpers. Flexible. Needs no primer.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8611 - Paintable Rubber Undercoat



A premium quality rubber based coating designed for undercarriages, trunks, and fender wells. Excellent sound and deadening properties. Dries quickly and is paintable in 30 mins. Should not be used as a paintable rock guard.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 9100 - Safety Solvent

CP 8430 - Gun Cleaner



Completely non-flammable. Ozone safe, no CFCs. Fast drying. Power-flushing action. No petroleum distillates. 36,200 volt dielectric strength.

Use on energized electrical equipment



This product is great for on-the-fly spray gun cleaning. It works to clean both waterborne and solvent based products.

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 8925 - Under the Hood Flat



Premium Gloss black paint for under the hood, fender wells, frames, trunks, or other indirect sunlight areas.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8927 - Under the Hood Gloss CP 8750 Cut in Clear



Premium Flat black paint for under the hood, fender wells, frames, trunks, or other indirect sunlight areas.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



This product is a unique IK Clearcoat. CP 8750 is excellent for clear coating color test panels, edging fenders, door edges and jambs. Dries quickly for faster handling time. NOT SUITABLE FOR EXTERIOR FINISHING THAT WILL BE EXPOSED TO THE ELEMENTS.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8800-A Glass Cleaner

CP 626 White Seam Sealer

CP 626B Black Seam Sealer



Cumberland Products glass cleaner is a ammoniated formula designed to quickly and effectively remove dirt, grease, and other contaminants without streaking.

CP 8896 Gray High Build Primer CP 8897 Black High Build Primer



Is a premium quality High build aerosol primer. Comes in two colors: Black and Gray.



Is a premium quality High build aerosol primer. Comes in two colors: Black and Gray.



A premium quality high rubber content seam sealer that cures quickly. Tools very smoothly and has a slight re-flow after tooling so edges and fingerprints disappear.

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 101 - Gun Cleaner



CP 101 is an economical alternative gun cleaner and has great cutting power.



CP 92 - Plastic and Fiberglass Part Cleaner

This product is a premium mold release agent cleaner for plastic and fiberglass parts that also helps eliminate static charge.

MARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

▲ WARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

CP 106 - Power Additive



When using a "cheap wash thinner" for your gun wash solvent, add CP 106 to make a stronger cleaner.



CP 105 - Catalyst Neutralizer

If you have gun wash solvent in your tank that is clogging up your equipment, just add CP 105 to prevent it from occurring again.

▲ WARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

▲ WARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

Industrial Solvents













▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

All Industrial Solvents are available. We can provide you with any petroleum based solvent or custom blend to fit your needs. Please call with any requests

Acetone

Toluene

Isopropyl Alcohol (IPA)

Mineral Spirits

Xylene

100 Solvent

MEK

Methanol

VM&P

CP 5 - Thinner



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 10 - Fast Acrylic **Lacquer Thinner**



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 1171 - Compliant Gun **Cleaning Solvent**





WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

slower thinner formulas available

PRE CLEANERS

CP 90 - Pre-Clean



CP 91 - Wax & Grease Remover





WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 231 - Adhesive **Remover High Strength**





WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 905 - Water Base Pre Clean



CP 905 is an excellent alternative to solvent based pre-cleans. CP 905 is more effectively removes hand-prints, salts, and fats from surfaces to be refinished. Improved formula, no residue. Rust inhibitor added.



▲ WARNING: Cancer. Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 80 - Fast Urethane Reducer



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm, For more information go to www.P65Warnings.ca.gov

CP 81 - Medium **Urethane Reducer**



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 82 - Slow Urethane Reducer



MARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 83 - Ex-Slow **Urethane Reducer**



WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 84 - Urethane Retarder



MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Z80 - Fast Zero VOC Universal Reducer



A WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Z81 - Medium Zero VOC **Universal Reducer**



MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Z82 - Slow Zero VOC **Universal Reducer**



A WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 1 - Fast Acrylic Enamel Reducer



MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 2 - Medium Acrylic Enamel Reducer



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3 - Slow Acrylic Enamel Reducer



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 12 - Fast Straight Enamel Reducer



MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 13 - Medium Straight Enamel Reducer



MARNING: Cancer, Birth Defects and Other eproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 14 - Slow Acrylic Enamel Reducer



A WARNING: Cancer, Birth Defects and Other eproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 9760 - Basecoat Reducer - Fast

CP 9775 - Basecoat Reducer - Medium

CP 9785 - Basecoat Reducer - Slow

CP 5605S - Basecoat Reducer - Standard

CP 5608S - Basecoat Reducer - Medium Slow

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

5800V - Vintage Matte Black



Vintage Matte Black 5800V is a 2 component acrylic urethane coating. 4:1

Matte Black is a excellent coating for restoration, stripping, coating frames, engine compartments, or any place a primer like coating is needed. This coating is formulated to withstand the same atmospheric conditions as any single-stage urethane system.

Compatible surfaces: Rigid Plastic, Self-etch and Epoxy primers, polyester and urethane primers, OEM Finishes.

ACTIVATORS: MED 5801V or SLOW 5802V



Mix 4 parts 5800V to 1 part 5801V or 5802V ACT



First Coat: Apply 1 full wet coat. Second Coat: Apply 1 Medium Coat . Recoat - 24 hours



Allow 5-10 min. flash time between coats



ot life 1 hou



Air Dry: 6-8 hours Bake: 10 min. @120°

🛕 WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Vintage Satin Colors - 2.8 VOC

Vintage Satin Colors are a 2 component acrylic urethane coating. 4:1

Satin Colors are a excellent coating for restoration, stripping, coating frames, engine compartments, or any place a primer like coating is needed. This coating is formulated to withstand the same atmospheric conditions as any single-stage urethane system.



Mix 4 parts satin color to 1 part 5811V or 5812V



Apply 1 full wet coat followed by 1 medium coat



Allow 5-10 min. flash time between coats



Pot life:1 hou



Air Dry: 6-8 hrs @72°F ACTIVATORS:
Bake: 10 min. @120°F 5811V or 5812V

Satin Black 5810V

WARNING: Cancer. For more

information go to www.P65Warnings.ca.gov



Satin White

5875V

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov





WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Satin Red **5855V**



WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Activators **5811V & 5812V**



MEDIUM

Total to the same of the same

SLOW

3820V - Vintage Matte Clearcoat 2.1 VOC

Vintage Matte Clearcoat 3820V is a 2 component, 2 coat acrylic urethane coating. It mixes in 3 different ratios with 3821V Activator to achieve different gloss levels. One Clear - Three Finishes: Flat - 4:1, Eggshell - 5:1, and Semi-gloss - 6:1

Easily applied to eliminate the striping associated with other matte clear finishes. This product does not fingerprint or smudge!

ACTIVATORS: 3821V



Mix 6 parts clear
ACT = Flat F
Mix 5 parts clear
ACT = Eggshel
Mix 4 parts clear
ACT = Semi-Glo

5



Apply 1 full wet coat followed by 1 medium coat



Allow 5-10 min. flash time between coats



Pot life 1 hour



Dry to Sand 6-8 hours

⚠ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

SFC-7015 - Gloss Black Rust Preventive Coating



A high solids, single-component, underbody coating formulated to permanently stop corrosion. It protects a variety of substrates from water, chemical, salt, and other corrosive contaminants. It stops rust when applied over a properly prepared rusted surface. The durable coating dries to a flexible, rock-hard finish that will not crack, flake, or peel. VOC compliant in North America.

Available in quarts and gallons



Ready to Spray DO NOT SHAKE Stir thoroughly



Apply 2-4 Medium Wet Coats



Air Dry - 77 °F & 50% relative humity
To Recoat: 3 - 8 hrs. Depending on temp & humidity
To Topcoat: 3 - 24 hrs. (after 24 hrs, sand with 400 grit)

MARNING: Cancer. For more information go to www.P65Warnings.ca.gov

SFC-7017 - Gloss Gray Rust Preventive Coating



A high solids, single-component, underbody coating formulated to permanently stop corrosion. It protects a variety of substrates from water, chemical, salt, and other corrosive contaminants. It stops rust when applied over a properly prepared rusted surface. The durable coating dries to a flexible, rock-hard finish that will not crack, flake, or peel. VOC compliant in North America.

Available in quarts and gallons



Ready to Spray DO NOT SHAKE Stir thorouahly



Apply 2-4 Medium



Air Dry - 77 ° F & 50% relative humity To Recoat: 3 - 8 hrs. Depending on temp & humidity To Topcoat: 3 - 24 hrs. (after 24 hrs, sand with 400 grit

MARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Protective Textured Coatings

Steelforce Protective Texture Coating is a two-component Urethane coating with excellent adhesion to bare steel and sanded OEM paint. It is specially formulated to withstand the same extreme conditions as high-solid single-stage paint. This series has excellent UV and chemical resistance. It is easy to use and provides a textured, satin finish that makes any surface look brand new.

Ideal for a full range of applications: Transportation, Marine, Commercial, and Industrial

Can be used on a variety of substrates: metal, wood, concrete, and plaster.



Mix 3 parts to I part SFC-7007 Activator



uniform we



Allow 10 - 15 minutes Flasl between coat



Air Dry: To Topcoat: 2 hrs. To Handle: 4 -6 hrs. To Recoat: After 24 hrs. Rake Time: 30 min @120 1

Black SFC-7000



Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov





▲ WARNING: Cancer, Birth
Defects and Other Reproductive
Harm. For more information go to



Tintable

SFC-7005

MARNING: Cancer, Birth
Defects and Other Reproductive
Harm. For more information go to
www.P65Warnings.ca.gov

Activator

SFC-7007





Kits

SFC-7000-K

SFC-7003-K

SFC-7005-K



CP-120 All Purpose Cleaner

Perfect for cleaning the entire vehicle. Safe and Gentle to use on painted metal and other surfaces. Biodegradable

Concentrate - must be diluted. For optimum results, dilute with warm water.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-130 Wheel Cleaner

Effective and safe on all OEM wheels.

Do not use on glass

For best results, use full strength Ready to Spray

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-140 Car Wash Soap

Attacks and lifts road film. Medium viscosity that can be easily rinsed off. High Sudsing and biodegradable

Concentrate - must be diluted. For optimum results, dilute with warm water.

MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-160 Multi-purpose Degreaser

Cuts through heavy build up of grease, dirt, and oil. An aggressive cleaner that works great on engines, driveline, and heavy equipment.

Concentrate - must be diluted.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-180C Concentrated Glass Cleaner

Works great on chrome and glass. It's alcohol-butyl based and Biodegradable

Concentrate - must be diluted 4:1 For optimum results, dilute with warm water.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-220 Non-Silicone Tire Dressing

Dramatic results without silicone. A thin formulation that works well on tires, moldings, weather seals and other non-paintable rubber and plastic surfaces.

Ready to Spray

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-240 Cleaner Wax

Provides protection from UV rays, acid rain, and other contaminants. Restores weathered, oxidized, and lightly scuffed finishes.

Shake well before using. Use on a clean, cool, and dry vehicle.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-260 Final Detail Wipe

An excellent showroom maintenance product that works without water on a variety of surfaces, including paint, chrome, and glass.

RTS - Ready to Spray

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-280 Wash and Wax

Effective, viscous, concentrate car wash that leaves a surface protectant while leaving a high gloss shine on clear coated finishes.

Concentrate - 2 capfuls (1 ounce) to 1 gallon of water.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-300 Water Based Tire Dressing

Can be used on rubber moldings and vinyl.

Ready to Spray - High Gloss, 1:1 -Semi Gloss, 2:1 - Flat

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



Amazakleen

Detail • Mechanical • Industrial

High quality multi purpose cleaner. Cleans smoke deposits, fingerprints, light rust, mildew, soot, lube oil, old wax, fresh paint, crayon marks, grease, road film, inorganic oils, lipstick marks, bacterial oder and more.

Just spray and wipe



CP 3600 Plastic Sheen 1K Clearcoat

Restore your plastic surfaces to their original sheen. Developed to restore gloss to automotive trim, moldings, impact strips, tires, and interior pieces. Protects parts against fading. UV resistors. Fast Dry. Body shop safe. No haze or oily film.

Cleaner: CP-3601



The Illuminator Headlight Renew

2.1 VOC compliant. With our system, you don't polish, you reapply a UV protective coating. Increase visibility 600-1000%. Improve driving safety and night visibility. Easy 7 step process.





Private branding available for the Cumberland Detail line



E100 Wheel Cleaner

- No Dilution Required
- Specifically Designed to Remove Brake Dust from Wheels
- Safe on OEM Wheels
- Spray-on Rinse-off Formula

▲ WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov




E120 All Purpose Cleaner

- Ready to Spray (RTS)
- Environmentally Friendly
- Safe on all Substrates



E140 Car Wash Soap

- High Foaming Concentrate
- Non-Caustic
- Economically viable option and biodegradable





E160 Degreaser

- Ready to Spray (RTS) Aggressive Formula to cut through Oil and Grease
- Doesn't Harm Rubber or Plastic Hoses
- For use on Engine Bay, Farm Machines, and Industrial Equipment
- ▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



E180 Glass Cleaner

- Ready to Spray (RTS)
- Safe for Tinted Windows
- Ammonia Free
- Streak Free Formula



E200 Non-Silicone Tire Dressing

- Low Gloss Non-Greasy Formula
- Body Shop Safe
- Formulated with Body Shops in Mind



E220 Silicone Tire Dressing

- Low Gloss Non Greasy Formula
- For use Inside and Outside
- Safe for Rubber, Vinyl, and Plastic Application



E240 Cleaner Wax

- Restores weathered, oxidized, and lightly scuffed finishes
- Provides protection from ultraviolet rays, acid rain, and other contaminants.
- NOW WITH CARNAUBA WAX!



E260 Final Detail Wipe

- Works without water on a variety of surfaces
- Excellent showroom maintenance



E280 Wash & Wax

- Removes road film and grime
- Rinses easily
- Reduces Chamois drying time

▲ WARNING: Cancer. For more information go to www.P65Warnings.ca.gov



E300 Water Based Tire Dressing

- Ready to Spray (RTS) or Dilute up to 2:1 for desired gloss level
- Can be used on rubber molding and vinyl
- No concern for VOCs
- 50 State Compliant
- MARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP 5 - Thinner



CP 5 is a premium 100% virgin solvent blend with excellent cutting power to thoroughly clean spray equiptment.



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 10 - Fast Acrylic Lacquer Thinner



A fast drying acrylic lacquer thinner. A great economy thinner for lacquers, acrylics, and primer surfacers. 100% virgin solvent. Gives the user the ultimate in an economy thinner. Do not use in polyurethane finishes or any other finish when hardeners, catalysts, or activators are used.



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 1171 - Compliant Gun Cleaning Solvent



CP 1171 Compliant Gun Cleaner is designed to meet rule 117 in California. CP 1171 has excellent cutting/cleaning strength.



▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Gun Cleaner CP 101



CP 101 is an economical alternative gun cleaner and has great cutting power.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8430 - Gun Cleaner



This product is great for on-the-fly spray gun cleaning. It works to clean both waterborne and solvent based products.

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

H20-1 - Aquamax 1+3

Automatic Gun Cleaner

A cleaner/detergent for ALL water-based/waterborne coatings. A blend of water soluble solvents and additives designed for automatic spray gun cleaning. Can be used for quick, effective manual cleaning. It quickly dissolves dried waterborne/waterbase coatings and both cleans and protects spray equipment.

Available in both National Rule and Compliant Formulas

Sold 4 gallons per case (freight) and 2 gallons per case (UPS)



Mix 1 gallon H20-1 to 3 or 4 gallons of tap water



Stir / Agitate until thoughly mix in a 5 gallon or large pail

H20-2 - Aquamax Lite

Manual Gun Cleaner

A patented multi-purpose cleaner/detergent that cleans ANY water coating. Simple and convenient with variable mixing ratios for any manual applications. Eliminates the need for multi-step cleaning procedures. Leaves no film or residue and can be coagulated. It doesn't settle and requires no restirring. Greatly reduces cleaning efforts and increases productivity and is priced less than any competitive product.

Available in both National Rule and Compliant Formulas.

Sold 12 quarts per case



Mix 1 Quart H20-2 t0 10-20 liters of tap water



Stir / Agitate until thoughly mix

H20-3 - Aquamax Lite

Manual Gun Cleaner Aerosol

It's the first waterbased aerosol formulated to clean 100% of all waterbased and waterborne coatings. A true one step product and cleans thoroughly with no residue. Can be used as a pre-rinse cleaner or for complete cleaning. Reduces cleaning time and effort by eliminating the need for multistep cleaning. Easy control finger tip activator. Spray wand is included.

North America compliant

Sold 12 aerosols per case











50100 / 50400 **Expert FKM/PA**

50101 / 50401 EPDM-FPV/FPE 50201 / 50403 KPV-FPV/FPE



Performance **Compression Sprayer** Available in 1.06 qt and 1.90 qt Larger size has ¼" connector for compressed air charger

DO NOT use Acetone or other non-compatible chemicals



Acetone Resistant Compression Sprayer Available in 1.06 qt and 1.90 qt Larger size has ¼" connector for compressed air charger

Other chemicals compatible with EPDM may be used with this sprayer



For Engine Cleaners and Degreasers Available in 1.06 qt and 1.90 qt

Larger size has ¼" connector for compressed air charger

Other products may be used with approved specifications

50300 / 50404 FPV/FPE



For Gun Wash, Solvents and **Brake Parts Cleaners** Available in 1.06 qt and 1.90 qt Larger size has 1/4" connector for

Other products containing Acetone, Toluene, Xylene, M.E.K., etc, may be used with this sprayer

compressed air charger

50350 FPV/SPP



For Applications with Acid **Based Cleaners** Available in 1.06 qt

Acid proof metal parts & Trigger "safety clip"

(Hydrochloric, Hydrofluoric, Sulfuric)

50020 **Trigger Sprayer**



Ideal for use with cleaners, sealants, non-corrosive detailing products & all around general use.

50160 - Color Coding Caps - ideal for Chemical product Identification - 5 pack, 5 colors 50165 - Precision Fanjet nozzle upgrade 50161 - WHMIS Label - Available in packs of 5



ProBand Fineline Red - Extra Soft



for Waterborne and Solvent Paints - 60 yd.

48475 1/16" 12 rolls/box 48480 1/8" 12 rolls/box 48485 1/4" 12 rolls/box 48490 1/2" 6 rolls/box

ProBand Fineline Blue - Med Soft



for Waterborne and Solvent Paints - 60 yd.

48675 1/16" 12 rolls/box 48680 1/8" 12 rolls/box 48685 1/4" 12 rolls/box 48690 1/2" 6 rolls/box

ProBand Fineline Green - Soft



for Solvent Paints 60 yd.

48505 1/16" 12 rolls/box 48510 1/8" 12 rolls/box 48520 1/4" 12 rolls/box 48530 1/2" 6 rolls/box

ProBand Fineline Orange - Medium



for Solvent Paints 60 yd.

48405 1/16" 12 rolls/box 1/8" 12 rolls/box 48410 48420 1/4" 12 rolls/box 6 rolls/box 48430 1/2" 48440 3/4" 5 rolls/box

K-UTG **Gold Tape**



for Masking on Difficult Surfaces - 55 yd.

48063 1/4" 12 rolls/cs 48064 1/2" 12 rolls/cs 48060 3/4" 12 rolls/cs 10 rolls/cs 48065 1.0" 48080 2.0" 5 rolls/cs 48090 3.0" 3 rolls/cs

PT43 Crepe **Fineline Tape**



Premium Quality Crepe Fineline - 55 yd.

48705 1/16" 12 rolls/box 48710 1/8" 12 rolls/box 48720 1/4" 12 rolls/box 48730 1/2" 6 rolls/box

K-TM21 TrimEdge Tape



Perforated and Silicone Free - 33 yd.

48321 (3/8") 2" 6 rolls/cs 24 rolls/master case

PT43 Micro-Tape



Premium Quality Crepe Micro Fineline - 28 yd.

48702 1/32" 12 rolls/box

Premium



Premium Quality Masking Tape - 55 yd.

48150 3/4" 48 rolls/cs 48160 11/2" 24 rolls/cs

Production Performance Tape Performance Tape



Production Masking Tape 55 yd.

48018 3/4" 48 rolls/cs 48036 1 1/2" 24 rolls/cs

ProMask Masker



Quick & Easy Masking

48216 7" x 65 ft. 60 rolls/cs refill roll 48218 7" x 65 ft. 48 rolls/cs refill roll/w. dispenser

48236 12" x 72 ft. 24 rolls/cs refill roll

48238 12" x 72 ft. 22 rolls/cs refill roll/w. dispenser 48246 18" x 58 ft. 18 rolls/cs refill roll

Plotter Ready Vinyl Semi-Translucent GreenMask



Solvent and Waterborne Resistant

48591 12" x 9" (6 sheets/pack) 48592 6"x 11 yd. 1 roll 48593 12"x 11 yd. 1 roll

Plotter Ready Vinyl BlueMask



Solvent and Waterborne Resistant

48691 12" x 9" (6 sheets/pack) 48693 12"x 11 yd. 1 roll 48695 24"x 5.5 yd. 1 roll

Plotter Ready K-UTG GoldMask



Solvent & Waterborne Resistant

48091 12" x 9" (6 sheets/pack) 48092 6"x 11 yd. 1 roll 48093 12"x 11 yd. 1 roll 48095 24"x 5.5 yd. 1 roll

CP 7100 - Booth Coating White



Fast drying liquid masking material. Prevents primer, paint, and various oversprays from sticking on painted surfaces. Dries to a tack free film in 20-30 minutes. No specialty equipment needed. Ready to Spray (RTS)



CP 7110 - Booth Coating Clear

Fast drying liquid masking material. Prevents primer, paint, and various oversprays from sticking on painted surfaces. Dries to a tack free film in 20-30 minutes. No specialty equipment needed. Ready to Spray (RTS)

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 7000 - Spray Mask



CP 7000 Liquid Spray Masking is a fast drying liquid masking material. It prevents primer, paint and various types of overspray from sticking on cured painted surfaces. Our liquid spray masking dries to a tack free film in 20-30 minutes and requires no special equipment to apply. CP 7000 can be easily and thoroughly rinsed off with water.



CP 7200 - Dust Control

Dust Control is a statically charged water based clear liquid designed to attract and hold dust on spray booth floors and other dusty work areas. It attracts dust and dirt holding the particulate on ground level.

CP 228 - Scuff & Prep Agent CP 227 - Scuff & Prep Agent



Cleans and scuffs at the same time. Rises easily.



CP 5831 - Bedliner Black CP 5835 - Bedliner Tintable

A two component urethane coating used to coat truck beds, frames, truck interiors, floor pans, inside door skins, and wheel wells.

Activators 5837 or 5839

▲ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Masking Paper & Plastic Sheeting



We offer paper for any application, from economy to poly-coated high quality, we have the paper you need.

Green Masking Paper - 13.5	6"	12"	18"		36"
Green Masking Paper - 17 3"	6"	12"	18"	24"	36"
Green Masking Paper - 20	6"	12"	18"		36"
Blue Polycoat Masking Paper - 24.5		12"	18"		36"
Gold Polygreen Masking Paper - 20		12"	18"		36"
Gatorback Polygreen Masking Paper - 14	6"	12"	18"		36"
Gatorback Polygreen Masking Paper - 20	6"	12"	18"		36"
White Masking Paper - 18	6"	12"	18"		36"
Regular Plastic		12 ft	14 ft	16 ft	
Premium Plastic		12 ft	14 ft		20 ft

OUR PROMISE TO YOU...

CUMBERLAND PRODUCTS INC. LIFETIME PRODUCT WARRANTY

Cumberland Products Inc. hereby warrants to our Customers, exclusively upon the terms of the warranty, all Cumberland automotive refinish products used by our Customer upon the following conditions:

- 1. A qualified technician performed the repair.
- 2. Appropriate products were used to perform the type of repair (including recommended types of basecoats).
- 3. Proper determination is made that failure was due solely to Cumberland products.

If these conditions are met, Cumberland Products will provide the following warranty protections:

If a Cumberland product is determined to be the sole cause of refinish failure, Cumberland will provide a credit for sufficient materials and reasonable labor necessary to repaint the vehicle. This warranty is a lifetime product warranty for the owner of the vehicle at the time of repair. Proof of ownership is the burden of the customer. Labor will be determined by the current market labor pricing and hours will be based on the current collision repair manuals (Mitchell or Motors).

WARRANTY EXCLUSIONS:

This warranty does not cover the following; rust failure; chips: chemical spotting; scratches and abrasions; failure due to previous repair; OEM finish failure; exposure to environmental pollution or contamination; collision damage; commercial vehicles: application on plastic or composite parts (there are too many reasons for failure on these substrates); damage caused by use of improper detergents, waxes or abrasive; damage due to contact with harsh chemicals, corrosives or flammables; failure or damages due to poor workmanship, improper use, application, handling or storage or disposal of Cumberland products; or, an act of God or third party. Cumberland reserves the right of testing any questionable claim and will provide the results to Customer. Proof of Cumberland product use is the burden of the Customer.

It is the intention of Cumberland Products Inc. to supply defect-free products and to ensure that quality to our Customers.

Cumberland Products reserves the right to terminate this warranty at any time. This warranty will only apply with respect to Customer application of Cumberland products during the existence of, and in accordance with, this warranty. This warranty is between the Customer and Cumberland Products only, and is not transferable to the vehicle owner.

Thank you,

Cumberland Products Inc.





WEBSITE OR



Cumberland Products Incorporated 50 Commerce Parkway

Hodgenville, KY 42748

Toll free: 800-223-1918 Fax: 1 800-500-9812

www.cumberlandproductsinc.com