



PRODUCTS INCORPORATED

FOR PROFESSIONAL,
AUTOMOTIVE & INDUSTRIAL

10TH EDITION

Dear Customer,

Cumberland Products is an independently owned company founded in 1991 by my wife Jenny, and myself. We started Cumberland Products with one basic concept: put 100% virgin solvent in the container every time. At Cumberland, we are proud of this so on each solvent label we place the words 100% virgin solvents.

Through the years, our company has added many products to our line. We take great pride in our clears, primers, detail and masking products. We maintain the same degree of quality in these lines as we always have with our other solvent blends

Along with quality products, we provide quality service. At Cumberland we strive to practice the biblical concept of treating others as we would like to be treated ourselves.

To our customers, I say thank you for your business and friendship. To those thinking about becoming our customer, I would encourage you to give us serious consideration to become your supplier. Our management, production, sales, service, and technical people all stand ready to serve. We hope to hear from you soon.

Wayne Moore

Founder

Cumberland Products, Inc.

Cumberland Products will continue to be a stable, reliable source in the industry. We are a multi-generational company and we are here to stay. So you can rely on us for all your automotive and industrial needs.

Bruce Barlow
President/CEO

John Moore
Executive Vice President

Katie Jones
Vice President



Clearcoats & Activators	2-3
Primers/Sealers & Activators	4-6
Eclipse Value Clears & Primers	7
Paint Additives	8-9
Aerosols	10
Specialty Solvents	11
Thinners & Pre-cleaners	12
Reducers	13
Vintage Pro	14
Steelforce Industrial	15
Cumberland Detail	16-17
Eclipse Detail	18 - 19
Gun Cleaners	20
Aquamax	21
FBS Products	22-23
Miscellaneous	24

100% Virgin Solvent Every Time

Cumberland Products Incorporated provides an entire line of 100% Virgin products. From solvents to sealants, from clearcoats and primers to paint additives, you'll get 100% virgin products every time.

Cumberland Products Inc
50 Commerce Parkway
Hodgenville, KY 42748


1-800-223-1918
1-800-500-9812 FAX

CP 3170 - Premium High Solids Clearcoat



Superb high solid clearcoat using European resins to produce and retain brilliant gloss levels and long term durability. Superior to other clears due to ease of spray and ability to buff readily within 72 hours after application. This clear easily matches OEM appearance. Can be used over all basecoat systems, including waters.


ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 2 parts 3170 to 1 part 3701/3703/3705/3707 to 1/2 part reducer CP-80/ 81/ 82/83



Apply 2 wet coats



Allow 10 minutes flash between coats



Pot life 5 Hours @75 °F



Can be sanded after: Air Dry: 12 hrs. @70 °F
Bake: 30 min. @140 °F
After 10 min. Purge


⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3164 - Overall Clearcoat



A premium quality urethane clearcoat designed for multi-panel and overall application. Can be used over all basecoat systems, including water. You can choose from four activators to regulate flash times for different job sizes and shop conditions.


ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 4 parts 3164 to 1 part 3701/3703/3705/3707 to 20% reducer CP-80/ 81/82/83



Apply 2-3 wet coats



Allow 15-20 minutes flash between coats



Pot life 4 Hours @72 °F



Can be sanded after: Air Dry: 10-12 hrs. @70 °F
Bake: 40 min. @140 °F
After 15-20 min. Purge

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3162 - Spot/Panel Clearcoat



Premium spot/panel clearcoat based on the latest resin system. Can be used over all basecoat systems, including water. You can choose from four activators to regulate flash times for different job sizes and shop conditions.


ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 4 parts 3162 to 1 part 3701/3703/3705/3707



Apply 2-3 wet coats



Allow 10 minutes flash between coats



Pot life 3 Hours @72 °F



Can be sanded after: Air Dry: 6-8 hrs. @70 °F
Bake: 30 min. @140 °F
After 10 min. Purge


⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov

CP 3880 - Xpress Clear



Using the latest technologies, this clear can be buffed or wet sanded in approximately 90 minutes @ 70 degrees. This clear is designed to be used for spot/panel work due to the fast dry times. Can be used over all basecoat systems, including water. You can choose from four activators to regulate flash times for different job sizes and shop conditions.


ACTIVATORS: CP 3701, CP 3703, CP 3705, or CP 3707



Mix 4 parts 3880 to 1 part 3701/3703/3705/3707



Apply 2 full wet coats



Allow 5 minutes flash between coats



Pot life 1.5 Hours @70 °F



Can be sanded after: Air Dry: 90 min. @72 °F
Bake: 10 min. @120 °F

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP 3701 - Fast Activator (55°F - 70°F)

CP 3703 - Medium Activator (70°F - 80°F)

CP 3705 - Slow Activator (80°F - 90°F)

CP 3707 - Extra Slow Activator (90°F and up)


⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3175 - European Clear



An premium 2:1 mix acrylic urethane clearcoat designed for universal use. This is a high/solids clear that works well in air dry or baking applications. Can be used over all basecoat systems, including water. Excellent gloss and durability.


ACTIVATORS: CP 3710, CP 3711, CP 3712, or CP 3713




Mix 2 parts 3175 to 1 part 3701/3703/3705/3707 to 10% reducer CP-80/81/82/83




Apply 2 wet coats



Allow 10-15 minutes flash between coats



Pot life 5 Hours @75 °F



Can be sanded after:
Air Dry: 8 hrs. @70 °F
Bake: 30 min. @130 °F

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 2500 - 2.1 VOC European Clear



A unique 2:1 mix European Clearcoat for compliance in all areas. This is a premium high production clearcoat that is compatible with all acrylic and polyester color systems. Can be used over all Basecoat systems, including water. Can be air or force dried for a perfect OEM look.

ACTIVATORS: CP 2520, CP 2521, or CP 2522



Mix 2 parts 2500 to 1 part CP-2520/2521/2522



Apply 2 wet coats



Allow 10-15 minutes flash between coats



Pot life 5 hours @75 °F



Can be sanded after:
Air Dry: 8-12 hrs. @70 °F
Bake: 35 min. @140 °F

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 2315 - 2.1 VOC Overall Spot/Panel Clearcoat



Superb high solid 2.1 VOC clearcoat using European resins to produce and retain brilliant gloss levels and long term durability. Superior to other low VOC clears due to ease of spray and ability to buff readily within 72 hours after application. Can be used over all basecoat systems, including water. This clear easily matches OEM appearance.

ACTIVATORS: CP 2316, CP 2317, or CP 2318



Mix 4 parts 2315 to 1 part CP-2531/2541



Apply 2 wet coats



Allow 10-15 minutes flash between coats



Pot life 2 hrs @72 °F



Can be sanded after:
Air Dry: 8 hours @70 °F
Bake: 30-40 min. @140 °F

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3831 - Quick Cure Clearcoat



2.1 VOC formulation for 50 state compliance in all areas. One to two panel application. Air dries in 25 minutes. Superb blending and can be applied to flexible parts.

PROFESSIONAL USE ONLY

ACTIVATORS: CP 3832



Mix 4 parts 3831 to 1 part CP-88



Apply 3 light coats



No flash time between coats



Pot life 30-45 minutes @72 °F



Can be sanded after:
Air Dry: 20-25 min. @72 °F
Bake: 5 min. @140 °F
After 10 min. Purge

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6100 - 2K Self Etch Primer/Filler CP 6103 - 2K Self Etch Catalyst




High performance "pre-coat" primer/filler for all bare metal applications.




Mix 1 parts 6100
to 1 part
CP-6103



Apply 2 med.
wet coats



Allow 15-20
minutes flash
between coats



Pot life 8
hours @70° F



Can be sanded after:
Air Dry: 30 min.
@70° F
Bake: 10 min. @140° F

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6110 - 1K Self Etch Primer (Qt.)




High performance "pre-coat" primer/filler for all bare metal applications.




Ready
to Spray



Apply 2 med.
wet coats



Allow 15-20
minutes flash
between coats



Pot life 8
hours @70° F



Can be sanded after:
Air Dry: 30 min.
@70° F
Bake: 10 min. @140° F

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6550 - 2K Urethane Primer (Gray) CP 6525 - Urethane Activator



A premium quality 2K-urethane primer surfacer that dries fast and builds quickly. Excellent color holdout with easy feather-edging and no ringing or lifting



HIGH BUILD
Mix 4 parts 6550
to 1 part 6525



NORMAL BUILD
Mix 4 parts 6550
to 1 part 6525 to
1 part
CP-80/81/82/83



Apply 3-5 full
wet coats



Allow 15
minutes flash
between coats



HIGH BUILD
Pot life 3 hrs
@70° F
NORMAL BUILD
Pot life 1 hr
@70° F




Can be sanded after:
Air Dry: 1-2 hrs
@72° F
Bake: 20 min. @140° F

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov


CP 6500 - 2K Urethane Primer-Surfacer CP 6575 - 2K Urethane Primer-Surfacer Activator




This premium quality 2K primer performs multiple functions. High Build or Medium Build with the ability to adhere to small areas of bare metal or direct to unsanded, properly cleaned e-coat. This product is corrosion resistant and sands very easily. Product is ready to sand in approximately 50 minutes @ 70°F.



PRIMER HIGH BUILD
Mix 4 parts 6500
to 1 part 6575
5-10%
CP-80/81/82/83



PRIMER MED BUILD
Mix 4 parts 6500
to 1 part 6575
15-20%
CP-80/81/82/83



SEALER
Mix 4 parts 6500
to 1 part 6575
1 part
CP-80/81/82/83



Apply 3-5 full
wet coats



Allow 15
minutes flash
between coats



NORMAL BUILD
Pot life 1 hr
@70° F



Can be sanded after:
Air Dry: 50-90 mins
@72° F
Bake: 20 min. @140° F

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6225 - 1K Non-Sanding Primer/Sealer



A super-smooth, one component 2.1 VOC primer/sealer that can be used on all previously coated metal surfaces to provide a uniform surface prior to topcoats. CP 6225 has tremendous adhesion and excellent color holdout. Ready to spray with no mixing required.

NOT INTENDED FOR USE ON BARE METAL.



Ready
to Spray



Apply 1-2
wet coats



Allow 10-15
minutes flash
between coats



Pot life 2 Hours
@70° F



Can be sanded after
Air Dry: 10-15 mins
@72° F
After 8 hrs. Must be
scuffed before
applying color coat

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6200 - Epoxy Primer / Sealer

CP 6201 Epoxy Catalyst



A two component epoxy primer/sealer displaying excellent adhesion to all types of bare metal surfaces, fiberglass, plastic parts as well as painted or primed surfaces. Lays flat, dries fast and covers in one coat.

ACTIVATORS: CP 6201



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6220 - 2K Urethane Non-Sanding Sealer

CP 6221 - 2K Urethane Non-Sanding Sealer Activator



A premium 2 component 2.1 VOC acrylic urethane sealer that provides a uniform surface over all types of existing finishes except lacquer. Can be tinted up to 5% by weight with any acrylic basecoat color. Can be top coated in 30 minutes. Also available: CP 6220B - Black / CP 6220W - White.

ACTIVATORS: CP 6221



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6820 Gray - Acrylic Lacquer Primer Surfacer


CP 6822 Red - Acrylic Lacquer Primer Surfacer

CP 6824 Black - Acrylic Lacquer Primer Surfacer



A premium acrylic lacquer primer with heavy build and excellent sanding properties. Dries fast with excellent color holdout with all paint systems. You must reduce with CP 1171 quality low VOC lacquer thinner to meet national VOC requirements.

THINNER: CP 1171



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 6830 - Gray Lacquer Primer Surfacer

CP 6832 - Red Lacquer Primer Surfacer



A premium blend of nitro-cellulose resins that produce a fast drying durable primer. Dries quickly and sands easily. Quickly fills sand scratches and imperfections prior to topcoat application. You must reduce with CP 1171 quality low VOC lacquer thinner to meet national VOC requirements.

THINNER: CP 1171



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov


CP 6330 - 2.1 VOC Primer-Surfacer

CP 6331 - 2.1 VOC Primer-Surfacer Activator



A new generation low VOC super high build urethane primer-surfacer. Designed for use under all single stage or basecoat clearcoat systems. Excellent adhesion to cut through bare metal areas and direct to unsanded properly cleaned e-coat, for undersides of hood, fenders, and jambs with superior sandability.


ACTIVATOR: CP 6331




Mix 4 parts 6330
to
1 part 6331



Apply 2-3
wet coats



Allow 15 mins
flash between
coats



Pot life 90
minutes @70 ° F



Can be sanded after:
Air Dry: 50-90 min.
@72 ° F
Bake: 30 min. @140 ° F

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov


CP 6600 - Direct to Metal Primer/Surfacer

CP 6601 Direct to metal Activator



CP 6600 is a 2.1 VOC high build direct to metal primer/surfacer. It is VOC compliant in all 50 states and is isocyanate free. CP 6600 has excellent adhesion to cold rolled steel, aluminum, galvanized, galvaneal, and body filler. It has excellent corrosion resistance when applied to any bare metal, thereby eliminating the pretreatment primer step. It also has excellent leveling features and sands easily. It is medium gray in color and has superior chemical resistance, eliminating the need for primer in many applications.


ACTIVATOR: CP 6601




Mix 4 parts 6600
to 1 part CP 6601




Apply 2
wet coats



Allow 10-15
minutes flash
between coats



Pot life 5
hours @75 ° F



Can be sanded after:
Air Dry: 1 hr per
coat @70 ° F
Bake: 35 min. @140 ° F

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8897 Black High Build Primer (Aerosol)



Black High Build Primer is a premium quality High build aerosol primer.

WARNING: Cancer, Birth Defects and Other Reproductive Harm.
For more information go to www.P65Warnings.ca.gov

CP 8896 Gray High Build Primer (Aerosol)



Gray High Build Primer is a premium quality High build aerosol primer.

WARNING: Cancer, Birth Defects and Other Reproductive Harm.
For more information go to www.P65Warnings.ca.gov

CP 8900 - Flex Primer Gray (Aerosol)

CP 8910 - Flex Primer Rose (Aerosol)



A premium quality flexible primer for all flexible or metal surfaces. Fills sand scratches very effectively and feather edges in 5-10 minutes

WARNING: Cancer, Birth Defects and Other Reproductive Harm.
For more information go to www.P65Warnings.ca.gov

CP 8130 - 1K Self Etch Primer (Aerosol)



High performance "pre-coat" primer for all bare metal applications.

WARNING: Cancer, Birth Defects and Other Reproductive Harm.
For more information go to www.P65Warnings.ca.gov

E3200 - Urethane Clear



E3200 Clear works well over color systems. Can be used over all Basecoat systems, including water. E3200 has excellent leveling properties and gloss retention. This clear is an excellent economical alternative for shops where warranty is not an issue

ACTIVATORS: E3201 or E3202

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E3221 - 2.1 Urethane Clear



E3221 Clear works well over color systems. Can be used over all Basecoat systems, including water. E3221 has excellent leveling properties and gloss retention. This clear is an excellent economical alternative for shops where warranty is not an issue. E3221 is 2.1 VOC compliant making it a great choice for shops in compliant areas

ACTIVATORS: E3231 or E3232

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E3275 - European Clear



An economical 2:1 mix acrylic urethane clearcoat designed for universal use. This is a high/solids clear that works well in air dry or baking applications. Can be used over all basecoat systems, including water. Excellent gloss durability.

ACTIVATORS: E3810, CP 3811, E3812

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E2501 - 2.1 VOC European Clear



E2501 is excellent for overall work and for force dry application. This clearcoat is compliant in all 50 states as well as Canada and features great flow and leveling. Ideal for producing a deep, long-lasting gloss.

ACTIVATORS: E3810, CP 3811, E3812

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E6000 - 2K Urethane Primer



E6000 2K Urethane Primer is an economical, quick drying, two component urethane primer/surfacer. E6000 has medium to heavy build properties yielding excellent filling and surfacing results.

ACTIVATORS: E6001

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

E6330 - 2.1 VOC 2K Urethane Primer-Surfacer



A Low VOC super high build primer-surfacer. Designed for use under all single stage or basecoat clearcoat systems. Excellent adhesion to cut through bare metal areas and direct to unsanded e-coat, for undersides of hoods, fenders, and jambs with superior sandability.

ACTIVATORS: E6331

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 1500 - Wet Look



A premium quality acrylic enamel catalyst that allows paint to flow out and cure to a brilliant gloss. Out-performs most other paint products in flow out and gloss retention.

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 9600 - Universal Flex Additive



A quality product that gives greater elasticity to paint systems. For use on bumpers and flexible parts to reduce cracking or chipping. For use in all Acrylic Lacquers, Acrylic Enamels, and Urethane Paint Systems

WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 9950 - Fisheye Eliminator



9950 is a high quality product to help eliminate fish-eye or cratering in topcoats. This product is not intended to be a replacement for proper preparation using wax and grease removers and pre-cleaner. Follow label directions carefully.



CP 88 - Accelerated Reducer

Speeds up dry time! Cuts drying time in half when used with all clearcoats except CP3831 Quick Cure Clearcoat. 2.1 VOC compliant. Do not use with our primers.

PROFESSIONAL USE ONLY

WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 5150D Basecoat Balancer



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 5175D Basecoat Binder



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 5320D Basecoat Binder



WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 5330D Basecoat Balancer



WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 5689D Basecoat Converter



CP 5695D Basecoat Balancing Clear



WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Toners



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP-5101D	HS White Toner	CP5649P	Clear Mixing Base
CP-5105D	Jet Black Toner	CP5683P	Black Toner
CP-5106D	HS Black Toner	CP5684P	White Toner
CP-5197	Jet Black Basecoat	CP5687P	Medium Satin Aluminum
CP-56500	Color Blender	CP5690P	Coarse Satin Aluminum

Pearls



CP-PRL93	Tincture Gold	CP-PRL96	Russet	CP-PRL9	Amethyst Dream
CP-PRL87	Fine Blue	CP-PRL98	Fine White	CP-PRL6	Solaris Red
CP-PRL99	Fine Russet	CP-PRL2	Crystal Silver	CP-PRL3	Sunbeam Gold
CP-PRL92	Frost Blue	CP-PRL1	Radiant Red	CP-PRL7	Fireside Copper
CP-PRL86	Red-Green	CP-PRL4	Galaxy Blue	CP-PRL8	Cosmic Turquoise
CP-PRL95	Bright White	CP-PRL5	Stellar Green		

CP 8915 - Flexi-grip

This product creates a strong adhesion of primers and paint to all types of automotive plastics and rubber parts. Non-isocyanate.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8920 - Satin Black Trim & Bumper Paint

A quality paint that adheres to urethane, rubber, and metal. Recoats discolored bumpers. Flexible. Needs no primer.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8611 - Paintable Rubber Undercoat

A premium quality rubber based coating designed for undercarriages, trunks, and fender wells. Excellent sound and deadening properties. Dries quickly and is paintable in 30 mins. Should not be used as a paintable rock guard.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 9100 - Safety Solvent

Completely non-flammable. Ozone safe, no CFCs. Fast drying. Power-flushing action. No petroleum distillates. 36,200 volt dielectric strength.

Use on energized electrical equipment

CP 8430 - Gun Cleaner

This product is great for on-the-fly spray gun cleaning. It works to clean both waterborne and solvent based products.

⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov

**CP 8925 - Under the Hood Flat
CP 8927 - Under the Hood Gloss**

Premium Gloss or Flat black paint for under the hood, fender wells, frames, trunks, or other indirect sunlight areas.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8750 Cut in Clear

This product is a unique 1K Clearcoat. CP 8750 is excellent for clear coating color test panels, edging fenders, door edges and jambs. Dries quickly for faster handling time. NOT SUITABLE FOR EXTERIOR FINISHING THAT WILL BE EXPOSED TO THE ELEMENTS.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

**CP 8500 Rock Guard White
CP 8501 Rock Guard Black**

A premium quality textured coating that protects rocker panels and valances from stone abrasion. Matches light or heavy factory textures.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8800-A Glass Cleaner

Cumberland Products glass cleaner is a non-film cleaner that excels on windshields, glass, mirrors, and chrome.

CP 8613 Rubber Undercoat

An economical alternative to other high priced undercoats. Dries in about 20 minutes to a smooth satin finish.

**CP 8896 Gray High Build Primer
CP 8897 Black High Build Primer**

Is a premium quality High build aerosol primer. Comes in two colors: Black and Gray.

**CP 626 White Seam Sealer
CP 626B Black Seam Sealer**

A premium quality high rubber content seam sealer that cures quickly. Tools very smoothly and has a slight re-flow after tooling so edges and fingerprints disappear.

⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov

CP 101 - Gun Cleaner



CP 101 is an economical alternative gun cleaner and has great cutting power.

WARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

CP 92 - Plastic and Fiberglass Part Cleaner



This product is a premium mold release agent cleaner for plastic and fiberglass parts that also helps eliminate static charge.

WARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

CP 106 - Power Additive



When using a "cheap wash thinner" for your gun wash solvent, add CP 106 to make a stronger cleaner.

WARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

CP 105 - Catalyst Neutralizer



If you have gun wash solvent in your tank that is clogging up your equipment, just add CP 105 to prevent it from occurring again.

WARNING: Birth Defects and Reproduction Harm. www.P65Warnings.ca.gov.

Industrial Solvents



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

All Industrial Solvents are available. We can provide you with any petroleum based solvent or custom blend to fit your needs. Please call with any requests

Acetone

Toluene

Isopropyl Alcohol (IPA)

Mineral Spirits

Xylene

100 Solvent

MEK

Methanol

VM&P

More industrial solvents available, any non-chlorinated solvent

CP 5 - Thinner



●

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 10 - Fast Acrylic Lacquer Thinner



●

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 1171 - Compliant Gun Cleaning Solvent



● ●

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov


slower thinner formulas available

PRE CLEANERS

CP 90 - Pre-Clean



CP 91 - Wax & Grease Remover



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 231 - Adhesive Remover High Strength



⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov



CP 905 - Water Base Pre Clean

● ●

CP 905 is an excellent alternative to solvent based pre-cleans. CP 905 is more effectively removes hand-prints, salts, and fats from surfaces to be refinished. Improved formula, no residue. Rust inhibitor added.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 80 - Fast Urethane Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 81 - Medium Urethane Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 82 - Slow Urethane Reducer



⚠ **WARNING:** Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 83 - Ex-Slow Urethane Reducer



⚠ **WARNING:** Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 84 - Urethane Retarder



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Z80 - Fast Zero VOC Universal Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Z81 - Medium Zero VOC Universal Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Z82 - Slow Zero VOC Universal Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 1 - Fast Acrylic Enamel Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 2 - Medium Acrylic Enamel Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 3 - Slow Acrylic Enamel Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 12 - Fast Straight Enamel Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 13 - Medium Straight Enamel Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 14 - Slow Acrylic Enamel Reducer



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 9760 - Basecoat Reducer - Fast

CP 9775 - Basecoat Reducer - Medium

CP 9785 - Basecoat Reducer - Slow

CP 5605S - Basecoat Reducer - Standard

CP 5608S - Basecoat Reducer - Medium Slow

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

5800V - Vintage Matte Black



Vintage Matte Black 5800V is a 2 component acrylic urethane coating. 4:1

Matte Black is a excellent coating for restoration, stripping, coating frames, engine compartments, or any place a primer like coating is needed. This coating is formulated to withstand the same atmospheric conditions as any single-stage urethane system.

Compatible surfaces: Rigid Plastic, Self-etch and Epoxy primers, polyester and urethane primers, OEM Finishes.

ACTIVATORS: 5801V or 5802V



Mix 4 parts 3162 to 1 part 3701/3703/3705/3707



Apply 2 wet coats



Allow 10 minutes flash between coats



Pot life 3 Hours @72° F



Can be sanded after: Air Dry: 6-8 hrs. @70° F Bake: 30 min. @140° F After 10 min. Purge

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Vintage Satin Colors - 2.8 VOC

Vintage Satin Colors are a 2 component acrylic urethane coating. 4:1

Satin Colors are a excellent coating for restoration, stripping, coating frames, engine compartments, or any place a primer like coating is needed. This coating is formulated to withstand the same atmospheric conditions as any single-stage urethane system.



Mix 4 parts 3162 to 1 part 3701/3703/3705/3707



Apply 2 wet coats



Allow 10 minutes flash between coats



Pot life 3 Hours @72° F



Can be sanded after: Air Dry: 6-8 hrs. @70° F Bake: 30 min. @140° F After 10 min. Purge

ACTIVATORS: 5811V or 5812V

Satin Black 5810V



WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Satin White 5875V



WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Satin Red Oxide 5825V



WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Satin Red 5855V



WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Activators 5811V & 5812V



3820V - Vintage Matte Clearcoat 2.1 VOC

Vintage Matte Clearcoat 3820V is a 2 component, 2 coat acrylic urethane coating. It mixes in 3 different ratios with 3821V Activator to achieve different gloss levels. One Clear - Three Finishes: Flat - 4:1, Eggshell - 5:1, and Semi-gloss - 6:1

Easily applied to eliminate the striping associated with other matte clear finishes. This product does not fingerprint or smudge!

ACTIVATORS: 5811V or 5812V



FLAT FINISH Mix 4 parts 0000V to 1 part 6575



EGGSHELL FINISH Mix 5 parts 0000V to 1 part 6575



SEMI-GLOSS FINISH Mix 6 parts 0000V to 1 part 6575



Apply 2 wet coats



Allow 15 minutes flash between coats



Pot life 1 hr @70° F



Can be sanded after: Air Dry: 1-2 hrs @72° F Bake: 20 min. @140° F

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

MORE VINTAGE PRO PRODUCTS AVAILABLE. CALL FOR MORE INFORMATION

SFC-7015 - Gloss Black Rust Preventive Coating



A high solids, single-component, underbody coating formulated to permanently stop corrosion. It protects a variety of substrates from water, chemical, salt, and other corrosive contaminants. It stops rust when applied over a properly prepared rusted surface. The durable coating dries to a flexible, rock-hard finish that will not crack, flake, or peel. VOC compliant in North America.

Available in quarts and gallons



Ready to Spray
DO NOT SHAKE
Stir thoroughly



Apply 2-4
Medium
Wet Coats



Air Dry - 77° F @ 50% relative humidity
To Recoat: 3 - 8 hrs. Depending on temp & humidity
To Topcoat: 3 - 24 hrs. (after 24 hrs, sand with 400 grit)

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

SFC-7017 - Gloss Gray Rust Preventive Coating



A high solids, single-component, underbody coating formulated to permanently stop corrosion. It protects a variety of substrates from water, chemical, salt, and other corrosive contaminants. It stops rust when applied over a properly prepared rusted surface. The durable coating dries to a flexible, rock-hard finish that will not crack, flake, or peel. VOC compliant in North America.

Available in quarts and gallons



Ready to Spray
DO NOT SHAKE
Stir thoroughly



Apply 2-4
Medium
Wet Coats



Air Dry - 77° F @ 50% relative humidity
To Recoat: 3 - 8 hrs. Depending on temp & humidity
To Topcoat: 3 - 24 hrs. (after 24 hrs, sand with 400 grit)

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

Protective Textured Coatings

SteelForce Protective Texture Coating is a two-component Urethane coating with excellent adhesion to bare steel and sanded OEM paint. It is specially formulated to withstand the same extreme conditions as high-solid single-stage paint. This series has excellent UV and chemical resistance. It is easy to use and provides a textured, satin finish that makes any surface look brand new.

Ideal for a full range of applications: Transportation, Marine, Commercial, and Industrial

Can be used on a variety of substrates: metal, wood, concrete, and plaster.



Mix 3 parts to
1 part SFC-7007
Activator



Apply
uniform wet
coat



Allow 10 - 15
minutes Flash
between coats



Air Dry: To Topcoat: 2 hrs.
To Handle: 4 - 6 hrs.
To Recoat: After 24 hrs.
Bake Time: 30 min. @120° F

Black
SFC-7000

White
SFC-7003

Tintable
SFC-7005

Activator
SFC-7007

Kits
SFC-7000-K
SFC-7003-K
SFC-7005-K



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-120 All Purpose Cleaner

Perfect for cleaning the entire vehicle. Safe and Gentle to use on painted metal and other surfaces. Biodegradable

Concentrate - must be diluted.
For optimum results, dilute with warm water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-130 Wheel Cleaner

Effective and safe on all OEM wheels.
Do not use on glass

For best results, use full strength
Ready to Spray

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-140 Car Wash Soap

Attacks and lifts road film. Medium viscosity that can be easily rinsed off. High Sudsing and biodegradable

Concentrate - must be diluted.
For optimum results, dilute with warm water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-160 Multi-purpose Degreaser

Cuts through heavy build up of grease, dirt, and oil. An aggressive cleaner that works great on engines, driveline, and heavy equipment.

Concentrate - must be diluted.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-180 Concentrated Glass Cleaner

Works great on chrome and glass. It's alcohol-butyl based and Biodegradable

Concentrate - must be diluted 4:1
For optimum results, dilute with warm water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-220 Non-Silicone Tire Dressing

Dramatic results without silicone. A thin formulation that works well on tires, moldings, weather seals and other non-paintable rubber, vinyl and plastic surfaces.

Ready to Spray

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-240 Cleaner Wax

Provides protection from UV rays, acid rain, and other contaminants. Restores weathered, oxidized, and lightly scuffed finishes.

Shake well before using. Use on a clean, cool, and dry vehicle.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-260 Final Detail Wipe

Removes dust, light dirt, and fingerprints. A residue-free shine with just a light spray and wipe.

Concentrate - must be diluted.
Heavy grime 2:1, General Cleaning 4:1

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-280 Wash and Wax

Effective, viscous, concentrate car wash that leaves a surface protectant while leaving a high gloss shine on clear coated finishes.

Concentrate - 2 capfuls (1 ounce) to 1 gallon of water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-300 Water Based Tire Dressing

Can be used on rubber moldings and vinyl.

Ready to Spray - High Gloss, 1:1 - Semi Gloss, 2:1 - Flat

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-366 Fast Wax

Applies easily. Thin wax that provides a high gloss finish that lasts for weeks. Designed for late model clear coated finishes.

Shake well before using. Apply a moderate amount.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP 3600 Plastic Sheen 1K Clearcoat

Restore your plastic surfaces to their original sheen. Developed to restore gloss to automotive trim, moldings, impact strips, tires, and interior pieces. Protects parts against fading. UV resisters. Fast Dry. Body shop safe. No haze or oily film.

Activator: CP-3601



Amazakleen Detail • Mechanical • Industrial

High quality multi purpose cleaner. Cleans smoke deposits, fingerprints, light rust, mildew, soot, lube oil, old wax, fresh paint, crayon marks, grease, road film, inorganic oils, lipstick marks, bacterial odor and more.

Just spray and wipe



The Illuminator Headlight Renew

2.1 VOC compliant. With our system, you don't polish, you reapply a UV protective coating. Increase visibility 600-1000%. Improve driving safety and night visibility. Easy 7 step process.



Private branding available for the Cumberland Detail line



E100 Wheel Cleaner

- No Dilution Required
- Specifically Designed to Remove Brake Dust from Wheels
- Safe on OEM Wheels
- Spray-on Rinse-off Formula

⚠ **WARNING:** Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



E120 All Purpose Cleaner

- Ready to Spray (RTS)
- Environmentally Friendly
- Safe on all Substrates



E140 Car Wash Soap

- High Foaming Concentrate
- Non-Caustic
- Economically viable option and biodegradable

⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov



E160 Degreaser

- Ready to Spray (RTS) Aggressive Formula to cut through Oil and Grease
- Doesn't Harm Rubber or Plastic Hoses
- For use on Engine Bay, Farm Machines, and Industrial Equipment

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



E180 Glass Cleaner

- Ready to Spray (RTS)
- Safe for Tinted Windows
- Ammonia Free
- Streak Free Formula



E200 Non-Silicone Tire Dressing

- Low Gloss Non-Greasy Formula
- Body Shop Safe
- Formulated with Body Shops in Mind



E220 Silicone Tire Dressing

- Low Gloss Non Greasy Formula
- For use Inside and Outside
- Safe for Rubber, Vinyl, and Plastic Application



E240 Cleaner Wax

- Restores weathered, oxidized, and lightly scuffed finishes
- Provides protection from ultraviolet rays, acid rain, and other contaminants.



E260 Final Detail Wipe

- Works without water on a variety of surfaces
- Excellent showroom maintenance



E280 Wash & Wax

- Removes road film and grime
- Rinses easily
- Great lubrication for paint finish protection

⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov



E300 Water Based Tire Dressing

- Ready to Spray (RTS) or Dilute up to 2:1 for desired gloss level
- Can be used on rubber molding and vinyl
- No concern for VOCs
- 50 State Compliant

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



E320 Dress All

- Ready to Spray (RTS) Aggressive Formula to cut through Oil and Grease
- Doesn't Harm Rubber or Plastic Hoses
- For use on Engine Bay, Farm Machines, and Industrial Equipment



CP 5 - Thinner



CP 5 is a premium 100% virgin solvent blend with excellent cutting power to thoroughly clean spray equipment.



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 10 - Fast Acrylic Lacquer Thinner



A fast drying acrylic lacquer thinner. A great economy thinner for lacquers, acrylics, and primer surfacers. 100% virgin solvent. Gives the user the ultimate in an economy thinner. Do not use in polyurethane finishes or any other finish when hardeners, catalysts, or activators are used.



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 1171 - Compliant Gun Cleaning Solvent



CP 1171 Compliant Gun Cleaner is designed to meet rule 117 in California. CP 1171 has excellent cutting/cleaning strength.



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Gun Cleaner CP 101



CP 101 is an economical alternative gun cleaner and has great cutting power.



⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8430 - Gun Cleaner



This product is great for on-the-fly spray gun cleaning. It works to clean both waterborne and solvent based products.

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

DON'T RISK CLEANING YOUR GUNS WITH RECLAIM


H2O-1 - Aquamax 1+3

Automatic Gun Cleaner

A cleaner/detergent for ALL water-based/waterborne coatings. A blend of water soluble solvents and additives designed for automatic spray gun cleaning. Can be used for quick, effective manual cleaning. It quickly dissolves dried waterborne/waterbase coatings and both cleans and protects spray equipment.

Available in both National Rule and Compliant Formulas

Sold 4 gallons per case (freight) and 2 gallons per case (UPS)



Mix 1 gallon H2O-1 to 3 or 4 gallons of tap water



Stir / Agitate until thoroughly mix in a 5 gallon or large pail


H2O-2 - Aquamax Lite

Manual Gun Cleaner

A patented multi-purpose cleaner/detergent that cleans ANY water coating. Simple and convenient with variable mixing ratios for any manual applications. Eliminates the need for multi-step cleaning procedures. Leaves no film or residue and can be coagulated. It doesn't settle and requires no re-stirring. Greatly reduces cleaning efforts and increases productivity and is priced less than any competitive product.

Available in both National Rule and Compliant Formulas.

Sold 12 quarts per case



Mix 1 Quart H2O-2 to 10-20 liters of tap water



Stir / Agitate until thoroughly mix

H2O-3 - Aquamax Lite

Manual Gun Cleaner Aerosol

It's the first waterbased aerosol formulated to clean 100% of all waterbased and waterborne coatings. A true one step product and cleans thoroughly with no residue. Can be used as a pre-rinse cleaner or for complete cleaning. Reduces cleaning time and effort by eliminating the need for multi-step cleaning. Easy control finger tip activator. Spray wand is included.

North America compliant

Sold 12 aerosols per case



AQUAMAX



50100 / 50400 Expert FKM/PA



Performance
Compression Sprayer
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

DO NOT use Acetone or other
non-compatible chemicals

50101 / 50401 EPDM-FPV/FPE



Acetone Resistant
Compression Sprayer
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

Other chemicals compatible with
EPDM may be used with this sprayer

50201 / 50403 KPV-FPV/FPE



For Engine Cleaners
and Degreasers
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

Other products may be used with
approved specifications

50300 / 50404 FPV/FPE



For Gun Wash, Solvents and
Brake Parts Cleaners
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

Other products containing Acetone,
Toluene, Xylene, M.E.K., etc, may be
used with this sprayer

50350 FPV/SPP



For Applications with Acid
Based Cleaners
Available in 1.06 qt

Acid proof metal parts &
Trigger "safety clip"

(Hydrochloric, Hydrofluoric, Sulfuric)

50020 Trigger Sprayer



Ideal for use with cleaners,
sealants, non-corrosive
detailing products & all around
general use.

50160 - Color Coding Caps - ideal for Chemical product Identification - 5 pack, 5 colors

50165 - Precision Fanjet nozzle upgrade

50161 - WHMIS Label - Available in packs of 5



Look for these dots for reference to which FBS sprayer works with that product

ProBand Fineline Red - Extra Soft



for Waterborne and
Solvent Paints - 60 yd.

48475 1/16" 12 rolls/box
48480 1/8" 12 rolls/box
48485 1/4" 12 rolls/box
48490 1/2" 6 rolls/box

ProBand Fineline Blue - Med Soft



for Waterborne and
Solvent Paints - 60 yd.

48675 1/16" 12 rolls/box
48680 1/8" 12 rolls/box
48685 1/4" 12 rolls/box
48690 1/2" 6 rolls/box

ProBand Fineline Green - Soft



for Solvent Paints
60 yd.

48505 1/16" 12 rolls/box
48510 1/8" 12 rolls/box
48520 1/4" 12 rolls/box
48530 1/2" 6 rolls/box

ProBand Fineline Orange - Medium



for Solvent Paints
60 yd.

48405 1/16" 12 rolls/box
48410 1/8" 12 rolls/box
48420 1/4" 12 rolls/box
48430 1/2" 6 rolls/box
48440 3/4" 5 rolls/box

K-UTG Gold Tape



for Masking on Difficult
Surfaces - 55 yd.

48063 1/4" 12 rolls/cs
48064 1/2" 12 rolls/cs
48060 3/4" 12 rolls/cs
48065 1.0" 10 rolls/cs
48080 2.0" 5 rolls/cs
48090 3.0" 3 rolls/cs

PT43 Crepe Fineline Tape



Premium Quality Crepe
Fineline - 55 yd.

48705 1/16" 12 rolls/box
48710 1/8" 12 rolls/box
48720 1/4" 12 rolls/box
48730 1/2" 6 rolls/box

K-TM21 TrimEdge Tape



Perforated and
Silicone Free - 33 yd.

48321 (3/8") 2" 6 rolls/cs
24 rolls/master case

PT43 Micro-Tape



Premium Quality Crepe
Micro Fineline - 28 yd.

48702 1/32" 12 rolls/box

Premium Performance Tape



Premium Quality
Masking Tape - 55 yd.

48150 3/4" 48 rolls/cs
48160 1 1/2" 25 rolls/cs

Production Performance Tape



Production Masking
Tape 55 yd.

48018 3/4" 48 rolls/cs
48036 1 1/2" 24 rolls/cs

ProMask Masker



Quick & Easy Masking

48216 7" x 65 ft. 60 rolls/cs refill roll
48218 7" x 65 ft. 48 rolls/cs refill roll/w. dispenser
48236 12" x 72 ft. 24 rolls/cs refill roll
48238 12" x 72 ft. 22 rolls/cs refill roll/w. dispenser
48246 18" x 58 ft. 18 rolls/cs refill roll

Plotter Ready Vinyl Semi- Translucent GreenMask



Solvent and Waterborne
Resistant

48591 12" x 9" (6 sheets/pack)
48592 6" x 11 yd. 1 roll
48593 12" x 11 yd. 1 roll

Plotter Ready Vinyl BlueMask



Solvent and Waterborne
Resistant

48691 12" x 9" (6 sheets/pack)
48693 12" x 11 yd. 1 roll
48695 24" x 5.5 yd. 1 roll

Plotter Ready K-UTG GoldMask



Solvent & Waterborne
Resistant

48091 12" x 9" (6 sheets/pack)
48092 6" x 11 yd. 1 roll
48093 12" x 11 yd. 1 roll
48095 24" x 5.5 yd. 1 roll

CP 7100 - Booth Coating White



Fast drying liquid masking material. Prevents primer, paint, and various oversprays from sticking on painted surfaces. Dries to a tack free film in 20-30 minutes. No specialty equipment needed. Ready to Spray (RTS)

⚠ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 7110 - Booth Coating Clear



Fast drying liquid masking material. Prevents primer, paint, and various oversprays from sticking on painted surfaces. Dries to a tack free film in 20-30 minutes. No specialty equipment needed. Ready to Spray (RTS)

CP 7000 - Spray Mask



CP 7000 Liquid Spray Masking is a fast drying liquid masking material. It prevents primer, paint and various types of overspray from sticking on cured painted surfaces. Our liquid spray masking dries to a tack free film in 20-30 minutes and requires no special equipment to apply. CP 7000 can be easily and thoroughly rinsed off with water.

CP 7200 - Dust Control



Dust Control is a statically charged water based clear liquid designed to attract and hold dust on spray booth floors and other dusty work areas. It attracts dust and dirt holding the particulate on ground level.

CP 228 - Scuff & Prep Agent
CP 227 - Scuff & Prep Agent



Cleans and scuffs at the same time. Rises easily.

CP 5831 - Bedliner Black
CP 5835 - Bedliner Tintable



A two component urethane coating used to coat truck beds, frames, truck interiors, floor pans, inside door skins, and wheel wells.

Activators 5837 or 5839

⚠ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Masking Paper & Plastic Sheeting

We offer paper for any application, from economy to poly-coated high quality, we have the paper you need.



Green Masking Paper - 13.5		6"	12"	18"	36"
Green Masking Paper - 17	3"	6"	12"	18"	24"
Green Masking Paper - 20		6"	12"	18"	36"
Blue Polycoat Masking Paper - 24.5			12"	18"	36"
Gold Polygreen Masking Paper - 20			12"	18"	36"
Gatorback Polygreen Masking Paper - 14	6"	12"	18"		36"
Gatorback Polygreen Masking Paper - 20	6"	12"	18"		36"
White Masking Paper - 18		6"	12"	18"	36"
Regular Plastic			12 ft	14 ft	16 ft
Premium Plastic			12 ft	14 ft	20 ft

OUR PROMISE TO YOU...

CUMBERLAND PRODUCTS INC. LIFETIME PRODUCT WARRANTY

Cumberland Products Inc. hereby warrants to our Customers, exclusively upon the terms of the warranty, all Cumberland automotive refinish products used by our Customer upon the following conditions:

1. A qualified technician performed the repair.
2. Appropriate products were used to perform the type of repair (including recommended types of basecoats).
3. Proper determination is made that failure was due solely to Cumberland products.

If these conditions are met, Cumberland Products will provide the following warranty protections:

If a Cumberland product is determined to be the sole cause of refinish failure, Cumberland will provide a credit for sufficient materials and reasonable labor necessary to repaint the vehicle. This warranty is a lifetime product warranty for the owner of the vehicle at the time of repair. Proof of ownership is the burden of the customer. Labor will be determined by the current market labor pricing and hours will be based on the current collision repair manuals (Mitchell or Motors).

WARRANTY EXCLUSIONS:

This warranty does not cover the following; rust failure; chips; chemical spotting; scratches and abrasions; failure due to previous repair; OEM finish failure; exposure to environmental pollution or contamination; collision damage; commercial vehicles: application on plastic or composite parts (there are too many reasons for failure on these substrates); damage caused by use of improper detergents, waxes or abrasive; damage due to contact with harsh chemicals, corrosives or flammables; failure or damages due to poor workmanship, improper use, application, handling or storage or disposal of Cumberland products; or, an act of God or third party. Cumberland reserves the right of testing any questionable claim and will provide the results to Customer. Proof of Cumberland product use is the burden of the Customer.

It is the intention of Cumberland Products Inc. to supply defect-free products and to ensure that quality to our Customers.

Cumberland Products reserves the right to terminate this warranty at any time. This warranty will only apply with respect to Customer application of Cumberland products during the existence of, and in accordance with, this warranty. This warranty is between the Customer and Cumberland Products only, and is not transferable to the vehicle owner.

Thank you,

Cumberland Products Inc.



THIS IS AN OVERHEAD VIEW OF OUR MANUFACTURING SITE

**QUALITY PRODUCTS
SINCE 1991**

**100% VIRGIN SOLVENT
EVERY TIME**



PRODUCTS INCORPORATED

Cumberland Products Incorporated


50 Commerce Parkway

Hodgenville, KY 42748

Toll free: 800-223-1918

Fax: 1 800-500-9812

WEBSITE QR



www.cumberlandproductsinc.com