



PRODUCTS INCORPORATED
FOR PROFESSIONAL, AUTOMOTIVE & INDUSTRIAL





Dear Customer,

Cumberland Products is an independently owned company founded in 1991 by my wife Jenny, and myself. We started Cumberland Products with one basic concept: put 100% virgin solvent in the container every time.

At Cumberland, we are proud of this so on each solvent label we place the words 100% virgin solvents.

Through the years, our company has added many products to our line. We take great pride in our clears, primers, detail and masking products. We maintain the same degree of quality in these lines as we always have with our other solvent blends

Along with quality products, we provide quality service. At Cumberland we strive to practice the biblical concept of treating others as we would like to be treated ourselves.

To our customers, I say thank you for your business and friendship. To those thinking about becoming our customer, I would encourage you to give us serious consideration to become your supplier. Our management, production, sales, service, and technical people all stand ready to serve. We hope to hear from you soon.

Wayne Moore

Founder

Cumberland Products, Inc.

Cumberland Products will continue to be a stable, reliable source in the industry. We are a multi-generational company and we are here to stay. So you can rely on us for all your automotive and industrial needs.

John Moore

President

Katie Jones

Executive Vice President

Tyler Barlow

Vice President

100% Virgin Solvent Every Time

Cumberland Products Incorporated provides an entire line of 100% Virgin products. From solvents to sealants, from clearcoats and primers to paint additives, you'll get 100% virgin products every time.

Cumberland Products Inc
50 Commerce Parkway
Hodgenville, KY 42748
1-800-223-1918 • 1-800-500-9812 FAX


CP 3175 - European Clear



- 2:i Mix Ratio
- High Solids (52% sprayable)
- Excellent Flow and Self-Leveling
- Dry to Sand in 6-8 hours
- Can be Forced Dried
- Premium Resin System

Act: 3710, 3711, 3712, or 3713


CP 2500 - 2.1 VOC European Clear



- 2:1 Mix Ratio
- Developed for custom and production applications
- Excellent Gloss and D.O.I
- Superior Flow out and Leveling
- Very Easy to Buff
- 50 State Compliant

Act: 2520, 2521, or 2522

CP 3880 - Xpress Clear



- 90 Minutes Dry to Sand
- 3:1 Mix Ratio
- Premium Resin System
- Dust Free in 2-5 Minutes
- Great Spot/Panel Work

Act: 3701, 3703, 3705, or 3707


CP 3831 - Quick Cure Clearcoat



- 4:1 Mix 25 minute Air Dry
- Easy to Apply/ no Flash
- Excellent UV Protection
- Designed for 1 panel
- Great on jams, flexible, and cut-in parts
- 50 State Compliant


Act: 3832

CP 3170 - Premium High Solids Clearcoat CP 3164 - Overall Clearcoat



- 2:1 1/2 Mix High Solids Glamour Clear
- Excellent Gloss and D.O.I
- Superior Flow and Leveling
- Exceptionally Easy to Buff up to 7 Days
- Air Dry in 12 hours

Act: 3701, 3703, 3705, or 3707



- 4:1 Mix Medium Solids Clear
- User-Friendly Overall Application
- 10-12 hour Air Dry
- 2-3 Wet Coats
- Excellent UV Protection

Act: 3701, 3703, 3705, or 3707


CP 3162 - Spot/Panel Clearcoat



- 4:1 Mix Medium Solid Clear
- User-Friendly Overall Application
- 6-8 hour Air Dry
- 2-3 Wet Coats
- Excellent UV Protection

Act: 3701, 3703, 3705, or 3707

CP 2315 - 2.1 VOC Overall Spot/Panel Clear



- 4:1 Mix Ratio
- Dry to Sand 8-10 hours
- Compatible with All Urethane and Waterborne Systems
- Excellent Leveling/Easy to Buff
- 50 State Compliant

Act: 2316, 2317, or 2318

CP 6600 - Direct to Metal Primer/Surfacer



- 2K Epoxy / Urethane Hybrid Technology
- Corrosion Resistance and Adhesion of an Epoxy
- The Build and Sandability of a Urethane Primer
- Perfect primer from start to finish!
- Available in Gray, Black, and White
- 50 State Compliant

Act: 6601

CP 6500 - 2K Urethane Primer/Surfacer



- 4:1 Mix High & Medium Build
- Dry to Sand in 50 mins
- Built in Adhesion Promoter and Corrosion Inhibitors
- Can be sprayed to small areas of Bare Metal
- Superior Sanding
- Great for Priming over Bodywork

Act: 6575

CP 6550 - 2K Urethane Primer (Gray)



- 4:1 Mix Ratio
- Dry to sand in 2 hrs
- Corrosion Resistant
- Easy Sanding and is also Tintable
- Cures Firm, not Rubbery

Act: 6525

CP 6330 - 2.1 VOC Primer Surfacer



- 2K Urethane High Build Primer
- Dry to sand in 60 mins
- Built in Adhesion Promoter and Corrosion Inhibitors
- Can be Sprayed to Small Areas of Bare Metal

Act: 6231

CP 6200 - Epoxy Primer/Sealer



- 2:1 Mix Ratio
- Fast Curing, Corrosion Resistant
- Dry to Sand 1 hr.
- Tintable (up to 10%)
- Excellent Adhesion to Metal, Aluminum, Galv. Steel, & Fiberglass

Act: 6201


CP 6220 - 2K Urethane Non-Sanding Sealer



- Available in Gray, Black, and White
- Can be intermixed for Value Shade
- 4:1 mix ratio that sprays silky smooth
- Offers excellent topcoat hold out
- Can be top coated in as little as 30 minutes
- 50 State Compliant

Act: 6221

CP 6830 Gray & 6832 Red Lacquer Primer Surfacer



- Acrylic Primer Surfacer
- Dry to Sand: 30 mins
- Excellent Color Holdout
- Mixes 1:1 with Compliant Lacquer Thinner
- 2-3 Coats. 10-15 min Flash Thinner: 1171

CP6100 & CP6103 - 2K Self Etch Primer/Filler & Catalyst



- 1:1 Mix Ratio
- Self Leveling Bare Metal Primer Filler
- Can be used over Steel, Aluminum, and Galvanized Steel
- Corrosion Resistant
- Maximum Adhesion due to the Acid Etching

CP 6110 - 1K Self Etch Primer (Qt.)



- Ready to Spray
- Apply 2 Wet Coats
- Self Leveling
- Pre-coat Primer/Filler for Bare Metal

CP 6225 - 1K Non-Sanding Primer/Sealer



- Ready to Spray
- Superior Adhesion
- Excellent Color Hold-out
- Use "wet-on-wet"; no sanding required before top coating
- Medium Gray for ease of Coverage

ECLIPSE VALUE PRIMERS & CLEARS

E3275 - European Clear



- 2:1 Mix Ratio
 - High Solids with a great gloss
 - Air Dry 8-10 hrs
 - Bake at 140°F for 30 mins
 - Excellent leveling properties and appearance
 - Economical Choice
- Act: 3810, 3811, or 3812

E3210 - 2.1 VOC European Clear



- 2:1 Mix Ratio
 - Air Dry 8-12 hrs
 - Bake at 140°F for 30 mins
 - Excellent leveling properties and appearance
 - 50 State Compliant
 - Economical Choice
- Act: 3211, 3212, or 3213

E3200 - Urethane Clear



- 4:1 Mix Ratio
 - Spot/Panel and Multi Panel Activators
 - Fast Dust Free Times
 - Dry Time: 6-8 hrs
 - Economical Choice
- Act: E3201 or E3202

E3221 - 2.1 VOC Urethane Clear




- 4:1 Mix Ratio
 - Spot/Panel and Multi Panel Activators
 - Dry Time: 6-8 hrs
 - 50 State Compliant
 - Economical Choice
- Act: E3231 or E3232

E6000 - 2K Urethane Primer



- 4:1 Mix Ratio
 - Fast drying/High Build
 - Dry to Sand: 1.5-2 hrs
 - Excellent Sandability
 - Economical Choice
- Act: 6001

E6330 - 2.1 VOC 2K Urethane Primer



- 4:1 Mix Ratio
 - Fast drying/High Build
 - Dry to Sand: 1.5-2 hrs
 - Excellent Sandability
 - 50 State Compliant
 - Economical Choice
- Act: 6331

CP 1500 - Wet Look



- Premium Quality
- Acrylic Enamel Catalyst
- Gloss Retention
- Flow Out

CP 9600 - Universal Flex Additive



- Provides Greater Elasticity
- Bumpers
- Gloss Retention
- Flow Out

CP 9950 - Fisheye Eliminator



- High Quality
- Cratering in Topcoats

CP 88 - Accelerated Reducer



- Speeds up dry time!
- 2.1 VOC compliant
- Can be used with all our Clears except 3831

Do not use with our primers. PROFESSIONAL USE ONLY

WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 5695P Basecoat Balancing Clear



CP 5150D Basecoat Balancer



CP 5175D Basecoat Binder



CP 5320D Basecoat Binder



CP 5330D Basecoat Balancer



CP 5689P Basecoat Converter



WARNING: Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

Pearls



- | | |
|-----------------|------------------|
| CP-PRL93 | Tincture Gold |
| CP-PRL87 | Fine Blue |
| CP-PRL99 | Fine Russet |
| CP-PRL92 | Frost Blue |
| CP-PRL86 | Red-Green |
| CP-PRL95 | Bright White |
| CP-PRL96 | Russet |
| CP-PRL98 | Fine White |
| CP-PRL2 | Crystal Silver |
| CP-PRL1 | Radiant Red |
| CP-PRL4 | Galaxy Blue |
| CP-PRL5 | Stellar Green |
| CP-PRL9 | Amethyst Dream |
| CP-PRL6 | Solaris Red |
| CP-PRL3 | Sunbeam Gold |
| CP-PRL7 | Fireside Copper |
| CP-PRL8 | Cosmic Turquoise |

Toners



- | | |
|-----------------|-----------------------|
| CP-5101D | HS White Toner |
| CP-5105D | Jet Black Toner |
| CP-5106D | HS Black Toner |
| CP-5197 | Jet Black Basecoat |
| CP-56500 | Color Blender |
| CP5649P | Clear Mixing Base |
| CP5683P | Black Toner |
| CP5684P | White Toner |
| CP5687P | Medium Satin Aluminum |
| CP5690P | Coarse Satin Aluminum |

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

3820V - Matte Clearcoat



Vintage Matte Clearcoat 3820V is a 2 component, 2 coat acrylic urethane coating. It mixes in 3 different ratios with 3821V Activator to achieve different gloss levels.

One Clear Three Finishes: Flat - 6:1, Eggshell - 5:1, and Semi-gloss - 4:1

Easily applied to eliminate the striping associated with other matte clear finishes. This product does not fingerprint or smudge!

50 State Compliant

Act: 3821V

5810V - Satin Black



- Great Durability for interior and exterior surfaces
 - Self-leveling / no finger printing
 - Excellent UV protection and Chemical Resistance
 - Easy application with no striping
 - Single Stage 2k Urethane
 - 50 State Compliant
- Act: 5811V or 5812V

5800V - Matte Black



- Single Stage 2k Urethane
 - Easy application with no striping
 - Self-leveling / No finger printing
 - Exceptional UV protection and chemical
 - Great Durability for interior and exterior surfaces
 - National Rule
- Act: 5801V or 5802V

5875V - Satin White



- Great Durability for interior and exterior surfaces
 - Self-leveling / no finger printing
 - Excellent UV protection and Chemical Resistance
 - Easy application with no striping
 - Single Stage 2k Urethane
 - 50 State Compliant
- Act: 5811V or 5812V

7015V - Gloss Black Rust Preventive Coating



- Ready to Spray
- Direct to Metal
- Spray, Roll, or Brush Application
- Chemical and Corrosion Resistant
- Encapsulates Rust
- Impact Resistant and Non-Porous
- Only available in Quarts


Protective Textured Coatings



- Excellent Adhesion to properly prepared bare steel
- Great UV and Chemical Resistance
- Easy Application, just shake and shoot
- Sound Dampening
- Impact resistant
- Available in Black and Tintable

Urethane Reducer

CP80 - Fast CP81 - Med
CP82 - Slow CP83 - Ex-Slow

Zero VOC Universal Reducer


Z80 - Fast Z81 - Med
Z82 - Slow

Urethane Retarder

CP-84


Acrylic Enamel Reducer

CP1 - Fast CP2 - Med
CP3 - Slow

Straight Enamel Reducer

CP12 - Fast CP13 - Med
CP14 - Slow

CP 9760 - Basecoat Reducer - Fast
CP 9775 - Basecoat Reducer - Medium
CP 9785 - Basecoat Reducer - Slow

Industrial Solvents

All Industrial Solvents are available. We can provide you with any petroleum based solvent or custom blend to fit your needs. Please call with any requests

Acetone
Mineral Spirits
MEK
Power Additive

Toluene
Xylene
Methanol

Isopropyl Alcohol (IPA)
100 Solvent
VM&P
Catalyst Neutralizer

More industrial solvents available, any non-chlorinated solvent

CP 8915 Flexi-grip



This product creates a strong adhesion of primers and paint to all types of automotive plastics and rubber parts. Non-isocyanate.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8920 Satin Black Trim & Bumper Paint



A quality paint that adheres to urethane, rubber, and metal. Recoats discolored bumpers. Flexible. Needs no primer.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8611 Paintable Rubber Undercoat



A premium quality rubber based coating designed for undercarriages, trunks, and fender wells. Excellent sound and deadening properties. Dries quickly and is paintable in 30 mins. Should not be used as a paintable rock guard.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 9100 Safety Solvent



Completely non-flammable. Ozone safe, no CFCs. Fast drying. Power-flushing action. No petroleum distillates. 36,200 volt dielectric strength.

Use on energized electrical equipment

CP 8430 Gun Cleaner



This product is great for on-the-fly spray gun cleaning. It works to clean both waterborne and solvent based products.

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 8925 Under the Hood Flat Black



Premium Flat black paint for under the hood, fender wells, frames, trunks, or other indirect sunlight areas.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8927 Under the Hood Gloss Black



Premium Gloss black paint for under the hood, fender wells, frames, trunks, or other indirect sunlight areas.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8750 Cut in Clear



This product is a unique 1K Clearcoat. CP 8750 is excellent for clear coating color test panels, edging fenders, door edges and jams. Dries quickly for faster handling time. NOT SUITABLE FOR EXTERIOR FINISHING THAT WILL BE EXPOSED TO THE ELEMENTS.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 8800-A Glass Cleaner



Cumberland Products glass cleaner is a ammoniated formula designed to quickly and effectively remove dirt, grease, and other contaminants without streaking.

CP 8896 Gray High Build Primer CP 8897 Black High Build Primer



Is a premium quality High build aerosol primer. Comes in two colors: Black and Gray.

CP 626 White Seam Sealer CP 626B Black Seam Sealer



A premium quality high rubber content seam sealer that cures quickly. Tools very smoothly and has a slight re-flow after tooling so edges and fingerprints disappear.

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 8130 Self Etching



High performance "pre-coat" primer for all bare metal applications. Spot repairs of body panels. Fill in scratches before sanding

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 5 - Gun Wash

CP 1171 - Compliant Gun Cleaning Solvent



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov




WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

slower thinner formulas available

PRE CLEANERS

CP 90 - Pre-Clean



CP 91 - Wax & Grease Remover



CP 231 - Adhesive Remover High Strength



WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

WARNING: Cancer. For more information go to www.P65Warnings.ca.gov

CP 905 - Water Base Pre Clean



- For pre-sand and pre-paint surface cleaning
- Ideal for removing organic contaminants
- Contains rust inhibitor to prevent flash rust
- 50 State Compliant

CP 228 - Scuff & Prep Agent CP 227 - Scuff & Prep Agent



Cleans and scuffs at the same time. Rises easily.

Aquamax - Waterborne Gun Cleaning Solution

A cleaner/detergent for ALL water-based/waterborne coatings

- A blend of water-soluble solvents and additives designed for waterborne automatic and manual spray gun cleaning
- Dissolves dried waterborne coatings and both cleans and protects spray equipment
- Eliminates the need for multi-step cleaning procedures
- Available in an aerosol for quick cleaning or color change

National Rule or 50 State Compliant Formula



CP 7100 - Booth Coating White



Fast drying liquid masking material. Prevents primer, paint, and various oversprays from sticking on painted surfaces for the paint booth. Dries to a tack free film in 20-30 minutes. No specialty equipment needed. Ready to Spray (RTS)

⚠ WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov

CP 7110 - Booth Coating Clear



Fast drying liquid masking material. Prevents primer, paint, and various oversprays from sticking on painted surfaces for the paint booth. Dries to a tack free film in 20-30 minutes. No specialty equipment needed. Ready to Spray (RTS)

CP 7000 - Spray Mask



CP 7000 Liquid Spray Masking is a fast drying liquid masking material. It prevents primer, paint and various types of overspray from sticking on cured painted surfaces. Our liquid spray masking dries to a tack free film in 20-30 minutes and requires no special equipment to apply. CP 7000 can be easily and thoroughly rinsed off with water.

CP 7200 - Dust Control



Dust Control is a statically charged water based clear liquid designed to attract and hold dust on spray booth floors and other dusty work areas. It attracts dust and dirt holding the particulate on ground level.

Masking Paper & Plastic Sheeting

We offer paper for any application, from economy to poly-coated high quality, we have the paper you need.



Green Masking Paper - 13.5		6"	12"	18"	36"
Green Masking Paper - 17	3"	6"	12"	18"	24"
Green Masking Paper - 20		6"	12"	18"	36"
Blue Polycoat Masking Paper - 24.5			12"	18"	36"
Gold Polygreen Masking Paper - 20			12"	18"	36"
Gatorback Polygreen Masking Paper - 14	6"	12"	18"		36"
Gatorback Polygreen Masking Paper - 20	6"	12"	18"		36"
White Masking Paper - 18	6"	12"	18"		36"
Regular Plastic			12 ft	14 ft	16 ft
Premium Plastic			12 ft	14 ft	20 ft



CP-120 All Purpose Cleaner

Perfect for cleaning the entire vehicle. Safe and Gentle to use on painted metal and other surfaces. Biodegradable

Concentrate - must be diluted. For optimum results, dilute with warm water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-130 Wheel Cleaner

Effective and safe on all OEM wheels.

Do not use on glass

For best results, use full strength Ready to Spray

Acid Based Wheel Cleaner

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-140 Car Wash Soap

Attacks and lifts road film. Medium viscosity that can be easily rinsed off. High Sudsing and biodegradable

Concentrate - must be diluted. For optimum results, dilute with warm water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-160 Multi-purpose Degreaser

Cuts through heavy build up of grease, dirt, and oil. An aggressive cleaner that works great on engines, driveline, and heavy equipment.

Concentrate - must be diluted.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-180C Concentrated Glass Cleaner

Works great on chrome and glass. It's alcohol-butyl based and Biodegradable

Concentrate - must be diluted 4:1. For optimum results, dilute with warm water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-220 Non-Silicone Tire Dressing

Dramatic results without silicone. A thin formulation that works well on tires, moldings, weather seals and other non-paintable rubber and plastic surfaces.

Ready to Spray

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-240 Cleaner Wax

Provides protection from UV rays, acid rain, and other contaminants. Restores weathered, oxidized, and lightly scuffed finishes.

Shake well before using. Use on a clean, cool, and dry vehicle.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-260 Final Detail Wipe

An excellent showroom maintenance product that works without water on a variety of surfaces, including paint, chrome, and glass.

RTS - Ready to Spray

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-280 Wash and Wax

Effective, viscous, concentrate car wash that leaves a surface protectant while leaving a high gloss shine on clear coated finishes.

Concentrate - 2 capfuls (1 ounce) to 1 gallon of water.

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP-300 Water Based Tire Dressing

Can be used on rubber moldings and vinyl.

Ready to Spray - High Gloss, 1:1 - Semi Gloss, 2:1 - Flat

WARNING: Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



CP AMAZE Amazakleen Detail • Mechanical • Industrial

High quality multi purpose cleaner. Cleans smoke deposits, fingerprints, light rust, mildew, soot, lube oil, old wax, fresh paint, crayon marks, grease, road film, inorganic oils, lipstick marks, bacterial odor and more.

Just spray and wipe



CP 3600 Plastic Sheen 1K Clearcoat

Restore your plastic surfaces to their original sheen. Developed to restore gloss to automotive trim, moldings, impact strips, tires, and interior pieces. Protects parts against fading. UV resisters. Fast Dry. Body shop safe. No haze or oily film.

Cleaner: CP-3601



CP 6900K The Illuminator Headlight Renew

2.1 VOC compliant. With our system, you don't polish, you reapply a UV protective coating. Increase visibility 600-1000%. Improve driving safety and night visibility. Easy 7 step process.



Private branding available for the Cumberland Detail line



E100 - Wheel Cleaner

- No Dilution Required
- Specifically Designed to Remove Brake Dust from Wheels
- Safe on OEM Wheels
- Spray-on Rinse-off Formula
- Acid Based Wheel Cleaner

⚠ **WARNING:** Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



E120 - All Purpose Cleaner

- Ready to Spray (RTS)
- Environmentally Friendly
- Safe on all Substrates



E140 - Car Wash Soap

- High Foaming Concentrate
- Non-Caustic
- Economically viable option and biodegradable

⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov



E160 - Degreaser

- Ready to Spray (RTS)
- Aggressive formula to cut through Oil and Grease
- Doesn't Harm Rubber or Plastic Hoses
- For use on Engine Bay, Farm Machines, and Industrial Equipment

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



E180 - Glass Cleaner

- Ready to Spray (RTS)
- Safe for Tinted Windows
- Ammonia Free
- Streak Free Formula



E200 - Non-Silicone Tire Dressing

- Low Gloss Non-Greasy Formula
- Body Shop Safe
- Formulated with Body Shops in Mind



E220 - Silicone Tire Dressing

- Low Gloss Non Greasy Formula
- For use Inside and Outside
- Safe for Rubber, Vinyl, and Plastic Application



E240 - Cleaner Wax

- Restores weathered, oxidized, and lightly scuffed finishes
- Provides protection from ultraviolet rays, acid rain, and other contaminants.
- NOW WITH CARNAUBA WAX!



E260 - Final Detail Wipe

- Works without water on a variety of surfaces
- Excellent showroom maintenance



E280 - Wash & Wax

- Removes road film and grime
- Rinses easily
- Reduces Chamois drying time

⚠ **WARNING:** Cancer. For more information go to www.P65Warnings.ca.gov



E300 - Water Based Tire Dressing

- Ready to Spray (RTS) or Dilute up to 2:1 for desired gloss level
- Can be used on rubber molding and vinyl
- No concern for VOCs
- 50 State Compliant

⚠ **WARNING:** Cancer, Birth Defects and Other Reproductive Harm. For more information go to www.P65Warnings.ca.gov



E241 - Ceramic Coating

- UV inhibitors added for sunlight protection
- Use on paint, glass and plastic
- Last up to 6 months, reapply as needed



E141 - Vinyl and Leather Cleaner

- Cleans and restores in a single application
- Prevents drying and cracking
- Safe on most leather surfaces



E291 - Odor Eliminator

- Counteracts Tobacco, Marijuana, Fire, and Other Smoke Odors
- Non-staining, Dry Spray Leaves No Wet Fallout on Floors or Furniture
- Freshens & Deodorizes
- For total release or manual spraying

ECLIPSE

— PERFORMANCE DETAILING —



50100 / 50400 Expert FKM/PA



Performance
Compression Sprayer
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

DO NOT use Acetone or other
non-compatible chemicals

50101 / 50401 EPDM-FPV/FPE



Acetone Resistant
Compression Sprayer
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

Other chemicals compatible with
EPDM may be used with this sprayer

50201 / 50403 KPV-FPV/FPE



For Engine Cleaners
and Degreasers
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

Other products may be used with
approved specifications

50300 / 50404 FPV/FPE



For Gun Wash, Solvents and
Brake Parts Cleaners
Available in 1.06 qt and 1.90 qt
Larger size has 1/4" connector for
compressed air charger

Other products containing Acetone,
Toluene, Xylene, M.E.K., etc, may be
used with this sprayer

50350 FPV/SPP



For Applications with Acid
Based Cleaners
Available in 1.06 qt

Acid proof metal parts &
Trigger "safety clip"

(Hydrochloric, Hydrofluoric, Sulfuric)

50020 Trigger Sprayer



Ideal for use with cleaners,
sealants, non-corrosive
detailing products & all around
general use.

50160 - Color Coding Caps - ideal for Chemical product Identification - 5 pack, 5 colors

50165 - Precision Fanjet nozzle upgrade

50161 - WHMIS Label - Available in packs of 5

QR CODE:
For help picking
the best sprayer
for solvent use



Look for these dots for reference to which FBS sprayer works with that product

ProBand Fineline Red - Extra Soft



for Waterborne and
Solvent Paints - 60 yd.

48475 1/16" 12 rolls/box
48480 1/8" 12 rolls/box
48485 1/4" 12 rolls/box
48490 1/2" 6 rolls/box

ProBand Fineline Blue - Med Soft



for Waterborne and
Solvent Paints - 60 yd.

48675 1/16" 12 rolls/box
48680 1/8" 12 rolls/box
48685 1/4" 12 rolls/box
48690 1/2" 6 rolls/box

ProBand Fineline Green - Soft



for Solvent Paints
60 yd.

48505 1/16" 12 rolls/box
48510 1/8" 12 rolls/box
48520 1/4" 12 rolls/box
48530 1/2" 6 rolls/box

ProBand Fineline Orange - Medium



for Solvent Paints
60 yd.

48405 1/16" 12 rolls/box
48410 1/8" 12 rolls/box
48420 1/4" 12 rolls/box
48430 1/2" 6 rolls/box
48440 3/4" 5 rolls/box

K-UTG Gold Tape



for Masking on Difficult
Surfaces - 55 yd.

48063 1/4" 12 rolls/cs
48064 1/2" 12 rolls/cs
48060 3/4" 12 rolls/cs
48065 1.0" 10 rolls/cs
48080 2.0" 5 rolls/cs
48090 3.0" 3 rolls/cs

PT43 Crepe Fineline Tape



Premium Quality Crepe
Fineline - 55 yd.

48705 1/16" 12 rolls/box
48710 1/8" 12 rolls/box
48720 1/4" 12 rolls/box
48730 1/2" 6 rolls/box

K-TM21 TrimEdge Tape



Perforated and
Silicone Free - 33 yd.
48321 (3/8") 2" 6 rolls/cs
24 rolls/master case

PT43 Micro-Tape



Premium Quality Crepe
Micro Fineline - 28 yd.

48702 1/32" 12 rolls/box

Premium Performance Tape



Premium Quality
Masking Tape - 55 yd.

48150 3/4" 48 rolls/cs
48160 1 1/2" 24 rolls/cs

Production Performance Tape



Production Masking
Tape 55 yd.

48018 3/4" 48 rolls/cs
48036 1 1/2" 24 rolls/cs

ProMask Masker



Quick & Easy Masking

48216 7" x 65 ft. 60 rolls/cs refill roll
48218 7" x 65 ft. 48 rolls/cs refill roll/w. dispenser
48236 12" x 72 ft. 24 rolls/cs refill roll
48238 12" x 72 ft. 22 rolls/cs refill roll/w. dispenser
48246 18" x 58 ft. 18 rolls/cs refill roll

Plotter Ready Vinyl Semi- Translucent GreenMask



Solvent and Waterborne
Resistant

48591 12" x 9" (6 sheets/pack)
48592 6" x 11 yd. 1 roll
48593 12" x 11 yd. 1 roll

Plotter Ready Vinyl BlueMask



Solvent and Waterborne
Resistant

48691 12" x 9" (6 sheets/pack)
48693 12" x 11 yd. 1 roll
48695 24" x 5.5 yd. 1 roll

Plotter Ready K-UTG GoldMask



Solvent & Waterborne
Resistant

48091 12" x 9" (6 sheets/pack)
48092 6" x 11 yd. 1 roll
48093 12" x 11 yd. 1 roll
48095 24" x 5.5 yd. 1 roll



NITRO INNOVATIONS

The Best Nitrogen Welder on the Market!

EVERY UNIT IS PLUG-&-PLAY!



Self Generating Nitrogen Gas

Patented Air Tank System

Cools off wand for 11 Minutes

Easy Maintenance

FEATURES

ADVANTAGE

BENEFITS

Patented air tank system	Cools off wand for 11 minutes	NO burned up wand valued at \$350
Patented automatic timers	Unit and soldering iron shut off after 60 minutes	Eliminate potential fire hazard and burning up of wand
Self generating nitrogen gas	No gas bottles	Saves time / money / No downtime
Nitrogen gas off when not being used	Does not waste nitrogen gas	Membrane last longer than competitor's
Vinyl Carbonate hose	No dry rot as with rubber/silicone	Longer life / won't kink to restrict air flow or dry rot to potentially leak
Control Board	Easy to replace in house	NO Downtime and NO Shipping cost

OUR PROMISE TO YOU...

CUMBERLAND PRODUCTS INC. LIFETIME PRODUCT WARRANTY

Cumberland Products Inc. hereby warrants to our Customers, exclusively upon the terms of the warranty, all Cumberland automotive refinish products used by our Customer upon the following conditions:

1. A qualified technician performed the repair.
2. Appropriate products were used to perform the type of repair (including recommended types of basecoats).
3. Proper determination is made that failure was due solely to Cumberland products.

If these conditions are met, Cumberland Products will provide the following warranty protections:

If a Cumberland product is determined to be the sole cause of refinish failure, Cumberland will provide a credit for sufficient materials and reasonable labor necessary to repaint the vehicle. This warranty is a lifetime product warranty for the owner of the vehicle at the time of repair. Proof of ownership is the burden of the customer. Labor will be determined by the current market labor pricing and hours will be based on the current collision repair manuals (Mitchell or Motors).

WARRANTY EXCLUSIONS:

This warranty does not cover the following; rust failure; chips; chemical spotting; scratches and abrasions; failure due to previous repair; OEM finish failure; exposure to environmental pollution or contamination; collision damage; commercial vehicles: application on plastic or composite parts (there are too many reasons for failure on these substrates); damage caused by use of improper detergents, waxes or abrasive; damage due to contact with harsh chemicals, corrosives or flammables; failure or damages due to poor workmanship, improper use, application, handling or storage or disposal of Cumberland products; or, an act of God or third party. Cumberland reserves the right of testing any questionable claim and will provide the results to Customer. Proof of Cumberland product use is the burden of the Customer.

It is the intention of Cumberland Products Inc. to supply defect-free products and to ensure that quality to our Customers.

Cumberland Products reserves the right to terminate this warranty at any time. This warranty will only apply with respect to Customer application of Cumberland products during the existence of, and in accordance with, this warranty. This warranty is between the Customer and Cumberland Products only, and is not transferable to the vehicle owner.

Thank you,

Cumberland Products Inc.



QUALITY PRODUCTS SINCE 1991


100% VIRGIN SOLVENT
EVERY TIME



PRODUCTS INCORPORATED

11TH EDITION

WEBSITE QR



Cumberland Products Incorporated
50 Commerce Parkway
Hodgenville, KY 42748

Toll free: 800-223-1918
Fax: 1 800-500-9812

www.cumberlandproductsinc.com